



SUMMARY REPORT, FINDINGS & FUTURE ACTIONS FROM AIVL'S ANTI-DISCRIMINATION MARKET RESEARCH

“Why wouldn't I discriminate against all of them?”

The following is a broad summary of the market research report AIVL commissioned as the first stage of our National Anti-Discrimination Campaign. The summary pulls out the main themes and factors from the report as well as outlining some of AIVL's thoughts and responses to these findings and how we think they will influence the next phase in this project.

The impact of stigma and discrimination on the injecting drug using community is negative and pervasive. AIVL received funding to undertake market research to identify the feasibility of developing a national campaign to address the stigma and discrimination routinely faced by people who inject drugs. The primary objectives were to understand the perceptions of the general community towards people who inject drugs and how the community might respond to messages aimed at addressing these misconceptions and prejudices. The research was carried out between November 2009 and February 2010 and was conducted in two phases:

1. A national consultation with the stakeholders - AIVL and its member organisations at the AIVL Annual National Meeting; and
2. Members of the general community including medical professionals. Although the sampling of the community was designed to reflect a cross-section it was recommended by the market research agency that we should restrict or narrow our recruitment focus to sections of the community that might be amenable to education campaigns i.e. parents who had children who used recreational drugs and were “OK” (relatively comfortable) with it and regular occasional non-injecting drug users 18-24yrs.

Stage One Stakeholders:

As the stakeholders were drawn from AIVL and its member organisations they had a very clear understanding of the general communities' perception of them as injecting drug users (IDU) however, believed it was based on stereotypical characteristics and not on reality for most IDU. Most stakeholders felt these beliefs were based on the fact that the drugs used by injection are:

- Illegal;
- That most people have a fear of needles; and
- Because it is deemed as immoral, deviant behaviour.

Probably not surprisingly, the general public's view of the injecting drug using community was very different to how IDU see themselves. Focus testing designed to elicit responses to imagery that challenged traditional stereotypes about people who inject drugs drew out emotional responses from participants. Resistance to the challenging the stereotypes were strong with people believing that the images of people in the photographs used did not fit the physical and behavioural stereotypes that characterise an injecting drug user – a dirty, smelly, toothless, selfish, looser.

The responses from stakeholders were similarly strong in their opinions in that they did not feel that the community had any idea of who they are and what they represent as they didn't know them. Stakeholders identify themselves as being survivalists, resilient and resourceful, with their drug use only a small part of what they are as opposed to the 'out of control junkie' for whom drug use is perceived to override all other characteristics.

The general public's only information and reference points seem to be from the media and government policy both of which it can be argued present an extremely biased portrayal of drug users which heavily

invests in traditional stereotypes. The 'war on drugs' approach favoured by governments engender a sense of fear and the belief that drug users are the enemy. The media draws on and often extends the government policy line and is motivated primarily to sell papers/programs by investing in these negative polemics.

Stakeholders identified a number of specific groups from whom they regularly experienced discrimination including:

- the medical profession (particularly pharmacists);
- Shop/store owners/managers and their staff;
- AOD services (particularly opioid pharmacotherapy programs);
- Police and prisons; and
- A variety of government department and agencies.

Two key outcomes identified from this discrimination were:

- a reluctance to access services; and
- reinforcement of negative self-worth.

Stage Two Community Consultations:

General Public

People from a range of life-stages, socioeconomic status and occupations were represented in the focus groups with the general public including accountancy, media, IT, teaching and retail. As mentioned we targeted those with more 'liberal' attitudes to illicit drugs. This included younger members who had used "soft drugs", parents with children who had tried illicit drugs as well as some older members with and without direct experience of illicit drugs. Of interest is the fact that even those parents whose children had tried illicit drugs or those who had tried drugs in their youth were ignorant of drugs generally.

Medical Profession

This group was comprised of three pharmacists, three emergency nurses, and two general practitioners (GPs) - all with specific experience of injecting drug users.

Attitudes to Drug Taking

All respondent felt there was a clear line between what was acceptable and non acceptable drug use. There was some difference with age group - older people were the most conservative in their attitudes reflecting their lack of experience and exposure to illicit drugs. While most had some experience of drugs in their youth, they all felt that drugs were far more potent now than when they were younger. However, overall the older participants tended to be a bit more liberal in their thinking about other individual's drug use believing that drug taking was largely an individual choice as long as it didn't impact on them or their family. Younger respondents demonstrated very accepting attitudes to drug use on a social level (even viewing it as a way to enhance quality of life) but expressed the view that drug use became unacceptable when people started using alone. Addiction/dependency of any type was seen as undesirable as it was seen as the point when a person is no longer able to make rational decisions and all the stereotypes come into play.

Attitudes to Injecting

All respondent were very negative about injecting drugs as injecting is seen as synonymous with addiction. People felt that drug users prioritise drugs over all other elements of their lives and they felt they were placing themselves at risk by associating with such people. Most people had no empathy for people who inject drugs as they had made a choice to 'cross the line' with full knowledge of the consequences so they should live with those consequences. The more experienced medical professional were less judgemental which may be linked to the fact that they had chosen to work in areas where they came into contact with IDU. The younger, less experienced medical professionals tended to be much more negative in their opinion.

Awareness of Stigma and Discrimination:

There was a great deal of consistency in the image that the respondents have of a person who injects drugs as being a 'junkie' or an 'addict'. The dominate personality traits are selfishness coupled with dishonesty as well as violent, unpredictable behaviour. They are not seen as capable of either getting or holding down a job and there was little understanding of how drug dependency can be managed or how people can maintain employment and family commitments. Even for those with some empathy for IDU, the stereotype is so

entrenched that they are not open to another perspective. The general communities' limited interaction with people they identify as injecting drug users only reinforces these stereotypes. For example some participants reported being very fearful of people who inject drugs including avoiding areas where people openly inject as they were unsure about what the IDU might do. The fear was based in a concern that the IDU would approach them and could physically harm them.

Inherent within the fear having any contact with IDU was the fear of needles and accidental infection. Most participants could recall media reports of publicly discarded needles particularly in parks and on beaches. Interestingly few had actually seen a discarded needle themselves. They feared being infected with a blood borne virus (BBV) from a needle stick injury. These views reinforced the perception held by most participants that IDU are selfish and do not care if they put others at risk through inappropriately disposing of used injecting equipment.

All respondents (from both the general community and medical professionals) were aware of the labelling and stereotyping of people who inject drugs. Almost all respondents in the general public sample expressed a reluctance to be associated with a person they 'suspected' of injecting drugs. There was also the idea of guilt by association – not wanting to be associated with IDUs in case you experience stigma and discrimination by being linked to them

Overall there was little empathy for people who inject drugs and most respondents (not just those who expressed more extreme attitudes) admitted to using labelling and stereotyping to distinguish IDU from the rest of society. More importantly, they feel no discomfort about engaging in this behaviour and saw the use of stereotyping and labelling as a means of clearly indicating that IDU are not part of mainstream society. In fact, the general public respondents thought it was important to ensure drug users were discriminated against to minimise the acceptance and spread of injecting drug use.

Most respondents said they would act in a discriminatory manner if they were aware they were interacting with an IDU. Having said this however, most of the general public participants claimed to have little or no direct experience or exposure to IDU other than working past them in the street. Therefore even though they were aware of being likely to discriminate if they knew someone was an IDU, they could not report any time that they had actually done this. This is very different to most situations where people will not readily admit to being discriminatory or prejudiced and often vehemently deny their actions are discriminatory. When it comes to IDU however, people were comfortable admitting and endorsing discriminatory behaviour.

Opioid pharmacotherapy treatment was generally misunderstood with people saying it was just a cheap way for drug users to 'get high' not a way of overcoming problems. Although it was recognised that this type and level of discrimination was likely to make the situation difficult for people accessing pharmacotherapy treatment, they felt it should act as an incentive for them to 'overcome' their addiction. In addition it was felt that "addicts" didn't care anyway about what the general public felt, as they only cared about scoring and using drugs.

The only time there was some sympathy was when the medical profession acted in a discriminatory manner. The general public felt the medical profession should be educated and therefore not have the fear and misunderstanding - they are health professional and therefore should provide treat everyone, regardless. They particularly should not overcharge IDU for services - this was seen as exploiting vulnerable people.

For their part, the younger medical professionals in the sample tended to support the idea of stigma and discrimination against IDU for much the same reasons as the general public. Interestingly however, they did not identify their behaviour in treating IDUs differently to other patients as discriminatory. Instead they tended to hide behind the concept of 'duty of care' to minimise risk to the patient themselves and to others. Older medical professionals admitted that this concept of 'duty of care' was too often used as an excuse for discriminatory behaviour towards IDU when really they were concerned about the reactions of other patients to having IDUs being treated in the same practice or by the same doctor as them. They identified that this probably wasn't right but said it was understandable given public perceptions of IDUs.

Understanding the Causes of Stigma and Discrimination:

One of the primary factors contributing to the stigmatising of people who inject drugs is fear of the actions or potential actions of IDUs. People who inject drugs are feared:

- Firstly because its believed they are unable to control their actions towards others - so they are seen unreliable and volatile; and

- Secondly because of the use of needles – most people shun injections of any type so they have trouble understanding anyone who would choose to inject themselves. This is compounded by the fear of being infected with a BBV by an accidental needle stick injury.

Communication Issues:

The key difficulty in developing any communication or education materials for the general public that seek to address the stigma and discrimination towards people who inject drugs is the strong perception that the stigma exists for a reason and that it should exist as a means of containing the practice of injecting drug use. After testing some concepts with the first two groups it was felt that none of them adequately dealt with the demonisation of drug users so another concept was introduced. The earlier iterations focused on challenging existing stereotypes about IDUs and all were unsuccessful in eliciting any humane or positive response.

The response to these concepts highlighted that any campaign that tried to challenge the strongly held belief of most participants that discriminating against IDU is a positive action because it will help prevent others taking up injecting drug use is likely to fail. This is because respondents would simply reject the challenge on the basis of drug use being illegal anyway. Equally any concepts that tried to evoke sympathy for IDU for no apparent reason or tried to 'normalise' injecting would receive angry reactions from the general public.

For the above reason, a new concept was introduced that attempted to humanise the person who injects by appealing to a sense of compassion, of how the actions of others can impact negatively on IDU and trading sympathy for someone who is "trying to change". This concept did have some success with respondents. The drug user was someone on opioid pharmacotherapies and was portrayed as a person trying to overcome their addiction. The drug user also expressed the sentiment that discrimination only "makes things harder for them particularly when they are trying to help themselves". Respondents from the general public reacted well to this approach seeing it as being 'fair to those who are trying to help themselves'.

Despite the positive reaction of respondents however, this concept was seen as difficult from the point of view of the AIVL stakeholders. The stakeholders said that they did not want to be portrayed as 'having problems' or being seen as a 'victim' as the only way to prevent discriminatory attitudes. The feeling among stakeholders was that this 'sympathy' was not only limited to those drug users in drug treatment but also would not address the problem of the existing stereotypes about people who inject drugs and that not all drug use is problematic and/or views of IDUs as lazy, selfish, violent, dangerous, etc.

Outcomes and Future Stages – AIVL's Viewpoint:

The level of discrimination towards the community that AIVL represents is widespread, well accepted and seen as a social necessity. As the market research agency pointed out in the final report, challenging these misconceptions and behaviours had little success in the consultation. By and large, respondents simply became more defensive, at times even aggressive and some became even more strident in their views.

General Community

The one aspect that does seem to leave room for further discussion or educational approaches is the fact that the general community seem to know very little about people who inject drugs, who we are and the lives we live. Indeed most respondents said they had never come across or had contact with an injecting drug user outside of those people who are highly visible in public or street-based drug scenes. What's important about this point is that it indicates that for the most part, the general public don't recognise people who inject drugs unless we fit the stereotype. Taking such an approach to addressing stigma and discrimination against people who inject drugs however, would necessitate a very cautious approach. We must remember that members of the general public who participated in this research clearly showed that they don't want to see a positive picture of injecting drug users as they are concerned that it may stop or reduce the fear about injecting drug use and in turn the practice will spread.

Other research in this area has shown that stigmatizing someone is not solely an unconscious act but also a "highly pragmatic, even tactical response to perceived threats, real dangers, and fear of the unknown" (Yang, LH., et al, 2007). In many ways it is this combination of the conscious and unconscious expressions of stigmatisation that makes such behaviour so difficult to identify, address and challenge. In the research with both the general public and medical professionals for this project, both groups made it clear that they engage in discriminatory behaviour towards IDU as both pragmatic and tactical responses to "perceived threats, real dangers and fear of the unknown". They know little about people who inject drugs and perceived them as a threat to their moral beliefs, their physical safety and/or to their standing in their community or profession. As identified above, this idea of feeling threaten and needing to act to "preserve what matters" has been

developed by Lawrence Hsin Yang et al in their article “*Culture and Stigma: Adding Moral Experience to Stigma Theory*” which states:

“For the stigmatizer, stigma seems to be an effective and natural response, emergent not only as an act of self-preservation or psychological defense, but also in the existential and moral experience that one is being threatened. Here the dialectics that defined the sociological approach can be seen to be deepened or thickened. Responses are not only determined by cultural imperatives, meanings, or values, but refer to a real world of practical engagements and interpersonal dangers. Both the stigmatizers and the stigmatized are engaged in a similar process of gripping and being gripped by life, holding onto something, preserving what matters, and warding off danger. If recipients of stigma find that what is held to be most dear may be seriously menaced or even entirely lost, these threats are also felt by non-stigmatized others and may lead them to respond to the threat embedded in the stigmatizing situation by discriminating against and marginalizing others.”

The market research AIVL commissioned and the subsequent examination of some of the available literature has highlighted for AIVL the importance of understanding not just ‘what’ the general public think about people who inject drugs but ‘how’ this then culminates in the act of stigma and discrimination. Ultimately however, it will be necessary to gain a better understanding of the experience of both the ‘stigmatised’ and the ‘stigmatizers’ before any campaign or education can be successfully developed. This suggests the need to undertake further work to bring together and examine the findings from both the AIVL market research and the available literature on stigma and discrimination to form a more robust theoretical basis for any campaign targeting this issue.

The Medical Profession:

In addition to seeking to further explore the available literature on both stigma and discrimination as outlined above, AIVL believes there is a significant body of work that the market research indicates needs to be done within the medical profession. For many years, AIVL and its member organisations have been participating in training events and guest lectureships within medical/nursing schools and hospitals in the effort to ‘humanise’ the face of people who inject drugs. While this work has been very important and has led to the development of key partnerships between the drug user movement and the medical profession, this research has highlighted the urgent need to resource and develop a more comprehensive and consistent approach to this training and workforce development. In particular, the research highlights the importance of providing opportunities for young medical professionals to have contact with people who inject drugs and to address their negative perceptions and fears in an environment where they do not feel under-threat.

Future Stages:

AIVL is currently in the process of developing a proposal that if successful will resource a number of further stages to this important project. While AIVL is not at all naive about the significant challenges that we are seeking to take on in tackling the issues identified through the market research, we equally do not feel that we have an option in relation to ‘whether’ we try to take those next steps or not. In short, AIVL believes that if we do not take up the challenge of addressing discrimination against people who inject drugs, then, quite simply, it will not be done at all. This scenario is one that is completely unacceptable from AIVL’s perspective as it will mean that the status quo will continue and unchecked discrimination against our community will remain a routine experience for IDUs.

From the perspective of halting the transmission of hepatitis C and other BBVs and reducing barriers to prevention and treatment access, to do nothing, even if the challenges are significant, is not an option either for those most affected by hepatitis C or for the community as a whole. This issue has also been recognised in the recently released National Hepatitis C Strategy which has prioritised a human rights based approach to addressing entrenched stigma and discrimination against people affected by hepatitis C in particular, people who inject drugs. In this context, it could be considered not only appropriate but necessary for AIVL to continue the work commenced through phase one of this project over the years of the national strategy.

Further, the significance of stigma and discrimination in relation to barriers to service delivery for people who inject drugs and those on pharmacotherapy treatment is not just an issue that has come to AIVL’s attention. Both within and outside Australia, there is an increasing focus on issues of stigma and discrimination and how they work to prevent the effective implementation of BBV prevention, harm reduction and both BBV and drug treatment initiatives. Organisations including the US-based Harm Reduction Coalition, the Australian Federation of AIDS Organisations (AFAO), the National Association of People Living with HIV/AIDS (NAPWA) and a number of internationally recognised researchers are also conducting or planning to undertake work which also recognises the need to address this issue.

It is now clear (as has been recognised in all of the national BBV strategies) that until we effectively address the impact of stigma and discrimination on the lives of those most at risk of and living with BBVs we will not be able to reduce infections or increase access to treatment and care. AIVL's proposed future activities for our National Anti-Discrimination Project will make an important contribution to addressing this challenge and the findings from the first phase market research will help ensure that our contribution is one that is meaningful for both IDU and the broader community.



GfK bluemoon

AIVL National Anti-Discrimination Project

Qualitative Research Report

Prepared for:

Australian Injecting and Illicit Drug Users' League (AIVL)

Prepared by:

Victoria Parr and John Bullen

February 2010

TABLE OF CONTENTS

		Page
1	BACKGROUND TO THE RESEARCH	3
2	RESEARCH OBJECTIVES	4
3	RESEARCH METHODOLOGY	5
	3.1 Overview	5
	3.2 The Sample.....	6
	3.3 Recruitment of Respondents	7
	3.4 Discussion Guide.....	7
	3.5 Analysis.....	7
	3.6 Research Timing	7
4	STAGE ONE: STAKEHOLDERS	8
	4.1 Defining the Issue.....	8
	4.2 Impact of Stigma and Discrimination.....	11
	4.3 Moving Forward.....	12
5	COMMUNITY PERCEPTION OF PEOPLE WHO INJECT DRUGS	14
	5.1 About the Sample	14
	5.2 Attitudes to Drug Taking	15
	5.3 Attitudes to Injecting	16
6	STIGMA AND DISCRIMINATION TOWARD PEOPLE WHO INJECT DRUGS	19
	6.1 Existence of the Stereotype.....	19
	6.2 Awareness and Attitudes towards Stigma and Discrimination	23
	6.3 Instances of Stigma and Discrimination.....	24
	6.4 Reaction to being Stigmatised/ Discriminated.....	31
7	UNDERSTANDING THE CAUSES OF STIGMA AND DISCRIMINATION	33
	7.1 General Public	33
	7.2 Medical Professionals	34
8	COMMUNICATION ISSUES	38
	8.1 Overall Reactions to the Concepts and the Idea of Communication	38
	8.2 Reaction to Specific Concepts.....	39
	8.3 Methods of Communication	47
	8.4 Medical Professionals	48
9	SUMMARY AND CONCLUSIONS	49



1 BACKGROUND TO THE RESEARCH

The impact of stigma and discrimination on the health and lives of people who inject or have injected drugs is significant. Although research in this area is limited, on the occasions they have been asked, people who inject drugs and those on pharmacotherapy treatments routinely identify stigma, discrimination and fear of poor treatment as the main reasons they do not access primary health and other services including Blood Borne Viruses services. Research into the general population views on drug users has also been limited, unless it has been tied to a specific project such as a safe injecting room.

AIVL has received funding to undertake a research project to identify the feasibility of developing a national campaign to address the stigma and discrimination that people who inject drugs face. As a result AIVL commissioned research to better understand the feelings of the general public in relation to injecting/illicit drug users. The research was focused on identifying the basis for the public worries and fear in regards to injecting drugs users.

The overall project aims were identified as:

- to work with AIVL to undertake a national consultation process to identify key issues within the general population that would need to be addressed in a National Anti-Discrimination Campaign;
- to conduct market research and make recommendations to inform a future campaign; and
- to develop a report based on the findings of the national consultation.



2 RESEARCH OBJECTIVES

The overall aim of the research task was to gain a better understanding of why there is a stigma attached to injecting drugs among the broader community and how these prejudices might be addressed in a future campaign.

Specifically the research sought to:

- understand the community's perceptions of people who inject;
- explore in detail the existing stereotypes;
- understand why the stigma / prejudice exists; and
- in this context how the community might respond to messages aimed at addressing misconceptions and prejudices.

3 RESEARCH METHODOLOGY

3.1 Overview

The research was conducted over two stages. The first stage of research involved consultation with key stakeholder groups of AIVL national representatives, and people who inject drugs. The second stage consisted of a five group discussions among a sample of the general community and medical professionals.

Stage One Methodology

The consultation with key stakeholders in Stage One of the study was designed to:

- provide background information for the moderator and to answer any questions that AIVL may have had about the process;
- ensure interested stakeholders are provided with a forum to voice opinions and ask questions of the research process;
- ensure all hypotheses as to why prejudice exists are tabled and then aired in subsequent groups; and
- provide the basis on which exploratory communication concepts can be developed.

The National meeting of the AIVL membership provided an opportunity to undertake Stage One of the research. Two moderated information sessions were conducted. The first comprised a round table discussion with the AIVL Hepatitis C and project steering committee. This focused on defining the parameters of the research and involved a detailed discussion about proposed sampling (see below). The second information session involved a 'workshop' style discussion with the national representatives present at the meeting, identifying their perceptions of the general public's attitudes and opinions towards injecting drug users. These are reported on in Section 4.

Stage Two Methodology

The main aims of Stage Two of the research were to understand source and depth of the stigma / prejudice to injecting and to obtain reactions to some broad communication concept ideas. These concept ideas were developed by GfK Blue Moon for the purposes of the research only. The concepts were used to determine which broad approaches in terms of messaging, tone and style of communication may have potential to be developed further into communications.

As discussed above, part of the discussion during the round table with the AIVL team and reference GP was focused on sampling. It was determined that there were likely to be some sections of the community that held attitudes that may be more responsive to any communication on injecting drugs users, and some sections of the community that had attitudes which no amount of

communications could influence. To ensure maximum value was gained from the research, it was determined that the research should focus on the former section of the community. Including the latter section of the community within the group discussions would have resulted in gaining little insight for future direction of communications.

Background literature and Stage One discussions with stakeholders identified that one of the key areas where people who inject drugs felt they faced a large amount of discrimination was from the medical profession. It was therefore thought to be beneficial to include at least one group discussion with medical professionals. General Practitioners (GPs), Pharmacists and emergency department nursing staff were included within the group discussion.

3.2 The Sample

The final sample of the group discussion with the general public and medical professionals was as follows:

Group	Target group	Demographic	Attitudinal criteria	Location
1	General Public	Parents of 15-28 year olds	Parents must be aware that their children use recreational drugs and relatively comfortable with this	Sydney
2		Regular / occasional drug users (non – injectors) age 18-24	Use illicit drugs one or more times a month (non- injecting)	Sydney
3		18-30 year olds	Respond positively to attitudinal statements that indicate that enjoy use of alcohol and / or illicit drugs themselves	Adelaide
4		Over 30 years of age		Adelaide
5	Medical Professionals	N/A	Inclusion of GPs, pharmacists, nurses in emergency units	Sydney

The sample was designed to reflect a cross section of the community in terms of age, socio-economic group, lifestage and gender. However, the attitudinal criteria variable in the sample table above was included to ensure that the sections of the community who may be able to be influenced by communications were included within the group discussions. This was determined by using an attitudinal screening question at the time of recruitment of respondents (Appendix A).

Each group discussion in Stage Two of the research involved 8 respondents and was approximately 1 ½ hours in length.

3.3 Recruitment of Respondents

Respondents were recruited using specialised market research recruitment agencies. These agencies use commercial databases to source sample. Screening questionnaires designed around the attitudinal and behavioural specifications of the sample are administered to potential respondents. All recruitment agencies used for the project hold Interviewer Quality Control Australian (IQCA) accreditation which is a quality assurance standard for market and social research within Australia.

3.4 Discussion Guide

A semi-structured discussion guide was approved with AIVL prior to the conduct of Stage Two of the research. A copy of the guide is appended (Appendix B).

3.5 Analysis

Qualitative research deals with relatively small numbers of respondents and explores their in-depth motivations, attitudes, feelings and behaviour. The exchange of views and experiences among participants is relatively free flowing and open, and as a result often provides very rich data that can be broadly representative of the population at large.

Findings were analysed using a thematic analysis model, whereby participant views and opinions are analysed to find common themes and patterns. In qualitative research, the findings are not based on statistics. The research findings are interpretive in nature and are based on the experience and expertise of the researchers in analysing the discussions using a thematic model.

The analysis included a full review of each of the target audiences, in terms of identifying any commonalities or patterns of factors that influence attitudes and behaviours relating to stigma and discrimination, and how these may be successfully overcome among some groups within the population.

3.6 Research Timing

Stage One of the research involving stakeholders was conducted on 13 November 2009. Stage Two of the research involving the group discussions with the community and medical professionals was conducted on 20-21 January 2010 and 1 February 2010.

4 STAGE ONE: STAKEHOLDERS

4.1 Defining the Issue

Perceptions of how other people see people who inject

The stakeholder groups of the AIVL Education team and the national representatives that attended the conference were asked how they believed the general public thought of people who inject drugs and why this caused stigma and discrimination. These stakeholders perceived that the general community believe people who inject drugs having the stereotypical characteristics of:

- being criminals and thieves who are willing to do anything to get what they need without considering others;
- having poor hygiene habits;
- being bad parents who neglect their children / are unreliable.
- using dirty needles in desperation of needing to use drugs;
- being irresponsible in the disposal of needles;
- likely to have disease of some kind caused by use of dirty needles or poor hygiene habits; and
- ultimately selfish with no consideration for others.

People who inject drugs identified that underpinning all of these is the perception held by the community of the person being out of control and unable to act rationally. It is believed that that the general public feel that people who inject drugs are only focused on the need to gain access to drugs due to their addiction, and are then impaired by their use of the drugs so unable to act rationally.

The stakeholder groups also felt it likely that the general public are somewhat fearful of people who inject drugs because of the method of administration of the drugs. They either:

- fear needles;
- are unable to understand how a person could practice injecting on themselves; and/ or
- identify the practice of tapping directly into one's own bloodstream as very risky.

Lastly, people who inject drugs claimed that because drugs are illegal, the general public tend to equate this illegality with immoral and deviant behaviour. The example used to illustrate this is homosexuality. When homosexuality was illegal, the general public saw homosexual behaviour as immoral and deviant. The same is now seen to apply to people who inject drugs.

This was very different than how people who inject drugs see themselves. As expected, resistance to the stereotype is very strong with people who inject drugs identifying that they do not fit the

physical and behavioural characteristics of the stereotype. Just like all sections of the community, there are positive and negative behaviours exhibited by individuals who inject drugs. However, people who inject drugs feel that the positive are never seen by the general public, only the negative.

People who inject drugs identify themselves as being survivalists, resilient and resourceful, with their drug use only a small part of what they are as opposed to the 'out of control' junkie for whom drug use is perceived to over ride all other characteristics or qualities.

Reasons for stigma and discrimination

Stakeholders identified that both government policy and media exposure contributed to creation of the stereotype that the public have about people who inject drugs and the stigma and discrimination that people who inject drugs experience. By certain drugs being illegal the government establishes the sense that use of these drugs is immoral and / or indicative of deviant behaviour. This, in turn, is seen to characterise the person using the drugs as immoral.

Governments were also seen to deliberately create a sense of fear around the use of drugs through prevention campaigns such as the National Illicit Drug Campaign and by likening police activities against drugs to that of terror. For example, by use of phrases such as 'the War on Drugs' being similar to 'the War on Terror'.

Media activities are usually aimed at reinforcing the fear that people have towards drugs. Stakeholders identified that media exposure of drug users, especially people who inject drugs, is generally focused on those who are obviously undergoing a difficult time. In addition, images of people asking for food and money, or stories of people undertaking criminal activities such as theft or prostitution, are often related back to being caused by a need to fund a drug addiction.

In turn, injecting drugs is seen as signifying addiction to illegal drugs. This is because self administration of drugs is perceived to be a risky practice, so the public are thought to believe that only those addicted to a substance would take the risk.

As the general public tends to have a lack of knowledge and experience with people who take drugs, their only point of reference is the media portrayal and government policy. These are seen to encourage the general public to think that 'Drugs are bad, therefore drug users are bad'. The public are encouraged to identify all people who inject drugs as being people who are struggling and / or participating in criminal activities to fund their drug use. Overall, the result for the general public is fear of all people who inject drugs.

Groups from which stigma and discrimination comes from

People who inject drugs were asked about specific groups among the community where they experienced stigma and discrimination. The most common group mentioned were medical professionals, particularly pharmacists. People who inject drugs identified instances where they had been:

- made to wait for their specific opiate replacement therapy while pharmacists served other people who had come into the pharmacy after them;
- asked to enter and leave that pharmacy via a different entrance to other customers; and
- only able to access opiate replacement therapy at specific times which may not always be convenient to them.

Instances of discrimination by hospital emergency staff and GPs were also mentioned. One stakeholder recalled not being given appropriate treatment for a broken arm as hospital staff and doctors surgeries refused to undertake the necessary tests to identify the break. He claimed that medical staff dismissed his claims of pain as drug seeking behaviour.

A number of other 'professional groups' were perceived to regularly practice discriminatory behaviour towards people who inject drugs. These included:

- shop owners;
- staff at clubs and hotels;
- staff at drug and alcohol services
- staff at correctional facilities; and
- government agencies.

Each of these are discussed below.

People who inject drugs claimed that shop owners who will ask someone they think inject drugs to leave the premises or not allow them in the shop in the first place. The refusal to let them enter is perceived to be based on fear that the people who inject drugs will steal products from the shop. It is thought that shop owners often feel they need to watch people who inject drugs all the time they are in the shop to prevent this, resulting in a lack of service for other customers. Therefore, they stop the problem from occurring in the first place by just not allowing people who inject drugs in the shop. This was identified as a common situation experienced by pharmacists that participated in the medical professionals' group discussion in Stage Two of the research.

Pub owners, bouncers and security were identified as being discriminatory in not allowing people who inject drugs into premises. It was believed that this occurred as the owners / bouncer /security

felt that other patrons would not like to have 'such people' in the pub or club and would leave themselves or complain. Ultimately, it was seen as bad for business.

People who inject drugs also identified that they were discriminated against by workers in drug and alcohol services and correctional facilities when compared to others within these services. While no specific examples were given, perceptions were that they were just treated badly compared to others simply because they were known as an injector, rather than due to a specific action or behaviour that may warrant negative treatment by staff in these services.

Government agencies, such as those responsible for family and community services, were also perceived to make assumptions about parents who inject drugs simply based on this characteristic alone, rather than due to a specific action or incident. Generally, people who inject drugs believed that government agencies such as this tended to assume they were incapable of looking after their children and that children were often neglected even when there was no evidence to suggest this.

Groups within the general community that were identified as being particularly discriminatory against people who inject drugs included:

- elderly / older people who had no knowledge of the people who use drugs in general, aside from that learnt from media stories and 'TV specials', which were perceived to invariably demonstrate the most negative characteristics of drug users;
- parents of teenage children who are perceived to feel that all people who inject drugs were out to get their children addicted to drugs ; and
- 'Club' drug users who were perceived to treat people who inject drugs badly despite their own drug use.

People who inject drugs identified that the discrimination experienced from this last group was likely caused by recreational drug users trying to justify their own use of drugs by it not being seen to be 'as bad' as people who inject drugs. People who inject drugs feel that this group of people typify the view that 'drug use is cool until you lose it' in that this cohort of people tend to see the people who inject drugs as signifying having 'lost it', whereas they themselves had their drug use under control as they did not inject.

4.2 Impact of Stigma and Discrimination

Not a great deal of time was spent discussing the impact of the stigma and discrimination on people who inject drugs during the information sessions with stakeholders. That said, two key impacts were identified:

- a reluctance to access services; and
- reinforcement of negative self-worth.

When people who inject drugs feel they are stigmatised or discriminated against when accessing medical services, such as opiate replacement therapy in pharmacies, they report developing a reluctance to go to the service when they need to for other reasons. Often an alternative medical service is not available, meaning they are faced with experiencing the negative treatment or go without the medical treatment they require.

Experiencing stigma and discrimination tends to reinforce any negative feelings of oneself that people who inject drugs may be experiencing. Over time, discriminatory treatment from others can result in feeling that they are not worth being treated any better.

4.3 Moving forward

Idea for what communications could involve

During the information sessions, the stakeholder groups were asked how they would like to change the general public's perception of them. The key perceptual changes that people who inject drugs felt were desirable among the general public included:

- seeing people who inject drugs as having a sense of responsibility and not causing harm to others;
- understanding that people who inject drugs function the same as other people, they are 'normal', in that they hold jobs and care for their children; and
- understanding that people who inject drugs do not fit the stereotypical physical and behavioural characteristics that the public believe people who inject drugs have.

People who inject drugs were then asked what they felt that communications directed at the general public needed to achieve. Ideally, it was felt that communication could:

- 'Humanise' people who inject drugs through:
 - appealing to people sense of compassion, in terms of seeing people who inject drugs as people more likely to harm themselves rather than 'harm' others;
 - demonstrating a functional drug user that is typical of the majority of people who inject drugs;
 - identifying people who inject drugs who have achieved something in their field (celebrity or fame);
 - highlight that people who inject drugs as people who have the same rights as others, and have their own issues to deal with the same as others;
- Highlight that people who inject drugs actually do not cause harm to others, by:
 - providing comparative health and social costs with 'other' supposedly more acceptable drugs such as alcohol and 'club' drugs



- provide factual information about the harm done to society by injecting drug users compared to users of other social drugs.
- Ask people to identify and face up to their own discriminatory attitudes:
 - by asking if they would discriminate against someone who drinks alcohol; or
 - if they can actually 'tell' who may be injecting drugs out of a range of supposedly 'normal' people.

A number of these ideas were incorporated into the broad concepts used among the community groups. They allowed elements such as message direction, tone and style of possible communication to be determined. These are discussed in Section 8.

5 COMMUNITY PERCEPTION OF PEOPLE WHO INJECT DRUGS

5.1 About the Sample

General Public

A range of ages, lifestages, socio-economic status and occupations were represented within the group discussions. The occupations of respondents demonstrate the broad mix of people represented in the group discussions. These included accountancy, media, IT, law, teaching, hospitality, construction and retail.

Due to the specifications targeting certain attitudinal groups, most of the sample had a relatively liberal attitude towards illicit drugs. Younger members of the sample had clearly used 'soft' drugs, such as marijuana and 'club' drugs such as ecstasy and speed. A small minority claimed experience with meth / ice.

Older respondents were more conservative, with most claiming to enjoy an alcoholic drink but having had little exposure or experience with drugs. Even the parents group which was recruited based on the fact that their child had used recreational drugs and were *relatively* comfortable with this, were ignorant of drugs. The parents group were all aware of their roles as parents and, as is often the case with this demographic, prided themselves in their ability to communicate and influence their child. This demographic feel they are aware of their children's attitudes and behaviour towards illicit drugs, but their perception is often not completely accurate. Parents tended to claim that their child had tried marijuana, but none were aware of their children trying ecstasy.

Medical Professionals

The group discussion with medical professionals involved three pharmacists, three nurses working in emergency departments of hospitals, and two general practitioners (GPs). All had specific experience with drug users, including injecting drug users.

Two of the pharmacists were relatively young, but had for a short period of time worked in a pharmacy on which had a specialist 'sharps' section. This pharmacy had a high proportion of people who inject drugs as customers. They now both worked in different pharmacies with a small number of customers on pharmacotherapy treatments. The other pharmacist worked part time in retail pharmacy and part time in a clinic providing pharmacotherapy treatment and support (methadone/buprenorphine) on the north shore of Sydney. She was also funded as a liaison between the clinic and local medical practices / pharmacies.

One of the three nurses had a great deal of experience with drug related incidents from working for a number of years in a major hospital which receives a high incidence of drug related cases in their emergency room. The other two nurses were younger, but had both worked in emergency

departments for five years or more. All nurses reported seeing a range of drug related problems in emergency, with overdoses of ecstasy, cocaine, heroin and sleeplessness from excessive meth/amphetamine use common. Nurses reported increasing issues related to methamphetamine use, with incidents of psychotic breaks and associated violence becoming more common.

Both GPs involved in the group discussion claimed to have a particular interest in working with patients dealing with drug or alcohol issues. One of these GPs was affiliated with a nearby clinic providing pharmacotherapy treatment and support.

5.2 Attitudes to Drug Taking

All respondents felt there was a clear line of what is and what is not acceptable in terms of drug taking. The parents and older general public groups were the most conservative in terms of attitudes, reflecting their lack of experience and exposure to illicit drugs. While most may have experienced drugs in their younger years, they all felt that drugs had changed since they used drugs in their late teens and twenties. Illicit drugs today were perceived to be much stronger, with many quite ignorant about different drugs. For example, some thought that ecstasy was more, or as dangerous, as ice.

However, as a whole, the older respondents participating in the research were relatively liberal about other individual's drug use. For them it was a private decision and as long as it did not impact on them or their children, they were not overly concerned with drug use.

Younger respondents all demonstrated very accepting attitudes towards drugs. Most younger respondents accept drug taking at a social level. It is something they participate in on weekends and on special occasions with friends to have fun. They are seen as a way to enhance the quality of life.

That said, most younger respondents identify a line in regards to drug taking. For those that identify drug use as a social experience, drug taking becomes unacceptable when people start to use drugs when they are by themselves.

"Doing anything by yourself is bad, you remove the social scene from it."

"Takes drugs for no reason, like just at home on their own"

Others clearly perceive that drug use alone could still be an enjoyable experience. For these respondents, the line of unacceptable drug taking occurred when:

- drug use impacted on other areas of a person's life such as their employment or study;
- others around that person may be at risk either physically or mentally; and / or
- they demonstrated personality changes.

"I accept a person who is drug taking in their own space."

"I think drugs are fine in a party atmosphere to have fun every once in a while, but sometimes it can get out of hand and I've seen good friends lose their careers over it."

Essentially, these respondents identified that drug use was acceptable provided it did not impact on others around them.

Addiction to any type of drug was perceived as undesirable by all respondents. For most respondents addiction is signified by the drug becoming the main focus of a person's life, with all other elements considered secondary. For most of the general public, addiction is the point when a person is unable to be rational in their decision making and they do not seem to care about the impact of their actions on others as their focus is on using and scoring drugs.

Addiction to drugs was seen as likely to ruin a person's quality of life rather than enhancing it as occurs with more social or recreational use. A person addicted to drugs was thought likely to get into financial difficulties as they use their money to feed their habit, while at the same time possibly having employment difficulties associated with drug use. From there it was seen as easy to fall into criminal activities such as theft, prostitution or dealing drugs in order to continue to fund their addiction. Beyond the financial, people addicted to drugs are seen as unreliable as they prioritise drug use over the needs of others in their lives such as family and friends and untrustworthy as they could potentially steal from family and friends to sell items so they could obtain drugs.

"I wouldn't accept a person who has stole or tried to push to anybody especially my children ... a person whose drug taking affected dramatically their moods and dependability and all aspects of their life and anyone that's involved with them."

"I wouldn't accept if it was impacting on other people and particularly people who have children because the kids will find out."

"You'd be a little bit more unsure depending on what sort of drugs so if you had somebody who was taking heroin or ice or crack those sorts of things, then yeah you might be a bit iffy about maintaining a relationship with them."

5.3 Attitudes to Injecting

General Public

All of the sample were very negative about injecting drugs. While more sympathetic, young drug users also have a very negative, stereotype of people who inject drugs. Even among these respondents, injecting drugs was seen as going too far with drug taking. This is due to most people perceiving that injecting is synonymous with addiction, and then not understanding the nature of addiction. The behaviours they perceive characterise an addicted person, described in the section above, are therefore associated with people who inject drugs.

"No, I think these days it's now proving to be much more of a genetic disorder is what my understanding an addictive personality."

"Even when I was in my early twenties I always thought injecting was the worse thing, other things were kind of acceptable."

People perceive that people who inject drugs prioritise drugs over all other elements of their lives – their employment, their family and friends, their general health and others within the community. Based on this, people fear the possible consequences of associating with people who inject drugs as they feel they may be placing themselves at risk.

"I think by associating with someone on hard drugs you become very vulnerable ... just the stealing."

Many respondents had no empathy for people who inject drugs. These respondents tended to feel that people who inject drugs had made a choice to 'cross the line' into addiction and / or to become an injector, with the full knowledge of possible consequences of financial difficulties and loss of trust of family and friends. Therefore, they should deal with these consequences and any negativity that others may hold towards them.

"The hardened drugs that we are now talking about there's no ifs, ands, or buts, you are not a fringe dweller, you are all the way in."

"They made the decision and too often then you're supposed to feel sorry for them, that's the thing that always irks me."

Some less extreme attitudes, more sympathetic attitudes toward injecting drugs were also expressed, however even those with empathy still expressed a fear of people who inject drugs.

"Who would choose to be a drug addict. I actually feel sorry for drug addicts, I don't feel sorry for the dealers and drug runners and all that ... I feel they're all victims...but the situation they are in can be frightening."

Medical Professionals

Attitudes of medical professionals towards people who inject drugs tended to vary according to the experience of the individual. The more experienced pharmacist, GP and nurse were more likely to be understanding about the difficulties that people who inject drugs may face in certain situations than the less experienced medical professionals in the group discussion. Additionally, the experienced medical professionals in the group discussion had generally chosen to work in areas where they came into contact with intravenous drug users. Therefore, they spoke from the perspective of having an interest in the area. In contrast, the views and opinions expressed by the younger, less experienced medical professionals in the group discussion were reflective of medical professionals who had not chosen to pursue an interest in the area of intravenous drug use. Much



like most medical professionals, the only reference point from which these medical professionals have on which to form an opinion is on the interactions they experience in their working capacity.

Overall, younger medical professionals tended to be more negative toward people who inject drugs than other drug users. This negative attitude was driven by the perception that more time is necessary to monitor and look after people who inject drugs under their care than others, and their lack of experience with injectors. The reasons for this perception and how these influence attitudes of medical professionals is provided in Section 7.

6 STIGMA AND DISCRIMINATION TOWARD PEOPLE WHO INJECT DRUGS

6.1 Existence of the Stereotype

The General Public

There was a great deal of consistency in the image that respondents have of a person who injects drugs, with all respondents readily labelling a person who injects drugs as a 'junkie' or at a minimum, an 'addict'. As was anticipated by stakeholders, respondents typically described the stereotypical of a 'junkie' or 'addict' when asked to describe a person who injects drugs.

"It's the drug associated with injecting drugs, it's not that you inject marijuana or ecstasy, it's that you inject heroin and there's such a high addiction rate."

Physically, a person who injects drugs is expected to be:

- thin, gaunt, frail;
- look unhealthy with pale skin and dark circles under their eyes;
- unclean, dirty; and
- unkempt, ungroomed.

"Skinny, unclean, pimples, no job, vacant eyes"

"Thin not healthy looking"

"Furtive, skinny, smoking, malnourished, dirty, selfish"

"Gaunt, frail, pale, very skinny, black circles under eyes, dilated pupils"

The dominant personality traits of a person who injects drugs are seen to be selfishness, unreliability, dishonesty and untrustworthiness. The expectation is that as drugs are the focus of the person's life, they are selfish in all the actions they undertake and do not consider the impact of their actions on others. It is expected they would do anything to get drugs, due to being addicted, so are unable to be trusted as they are not able to control themselves from acting on impulses.

"Dirty low life, unsuccessful, untrustworthy"

"Dishonest, can't trust them, will do / say anything to get drugs"

Aside from this, there is an expectation that the impact of taking drugs and in consistently trying to find ways to finance and find more drugs, leaves the person with very unpredictable, extreme mood swings. Some associate this with a potential for violence, while others identify a tendency for the person to withdraw from social circles. A small few, felt that injecting drug use probably meant that person has relatively low self-esteem.

"Mood swings, nasty can be violent"

"Void of personality, edgy, talkative or silent – extremes, dull, angry"

The stereotype of the injecting drug user is perceived to be unlikely to be in full time employment. As it is perceived that they are addicted to drugs, it is expected that the injecting drug user would find it difficult to maintain full time employment as they would be unlikely to be focused on their job enough to be productive (it is expected they would only be able to focus on drug use). Due to this, injecting drug users are perceived as likely to have money problems and reliant on government benefits and/ or a criminal activity such as prostitution and theft.

"Can't find work, but doesn't really want to"

"Maybe in low paid work, or casual jobs which they often change"

"Dole bludgers"

"Prostitutes, artists, unemployed or casual work at Woolworths etc."

"You generally find a pattern with injecting they don't take care of themselves or their responsibilities."

While there was some recognition by a minority of that not all injecting drug users are addicts, this was minimal. Most members of the community attribute the perception they have of an 'addict' to injecting drug users. As an 'addict', injecting drug users are thought to disregard all other people and responsibilities in their lives. There is no or little understanding among the community that addiction can be managed, with people able to maintain normal employment, family and social relations.

"They constantly let me down, I want nothing to do with them unless they quit."

"If someone is taking heroin ... if they told me, they hadn't started and they said I'm going to take heroin next week, I'd just wipe them even before they started just because it's so highly addictive, they're just totally responsible for themselves."

"That's addicts by the way; I've met occasional users with regular jobs and regular lives."

Even among people who held some empathy for injecting drug users, the stereotype is too well established to be open to another perspective. The limited experience and exposure they have with people who inject drugs also seems to reinforce the negativity. For example, some reported issues regarding the behaviour of people who were openly injecting drug users near where they live – arguments and general verbal abuse. These respondents feared walking past the areas where the injecting drug users were as they were unsure as to what the drug users may do. The fear is based on the possibility of the injecting drug users approaching them physically, with the perception that possible harm could result. Even though, rationally, respondents knew this is unlikely, they still held a fear that this could occur.

"I feel like they're going to stab me with a needle, I know it's not going to happen."

"I don't want to sit next to a meth addict because they look scary too. It's not what they're doing it's how they look."

"I think it's because usually they go hand in hand with not being able to hold down a job. My Aunt was really addicted to heroin for 20 years, she said she was a cab driver in New York and she could barely hold down her job, took over her whole life."

"From my experience of seeing people on heroin they can't function in society which is why they get isolated, they usually don't have a job, financially unstable, not giving anything back ... I don't want anything to do with them, they're an annoyance."

Inherent within the fear that people report is the fear of needles, particularly discarded needles. Respondents could all recall media reports of discarded needles in parks and on beaches, with a small few having seen this themselves. This fear is based on the possibility of being infected with HIV or another blood born virus through an accident with a discarded needle, for example, treading on one in a park. This fear reinforces the perception that people who inject drugs are inherently selfish and are unable / unwilling to think of the impact they may have on others, as only someone with these characteristics would leave items like needles around and not dispose of them appropriately.

"The stigma that needles are the wrong thing to do, with pills there was never talk that it was a bad thing to do ... remember healthy Harold, cigarettes and needles were always the wrong thing to do. Growing up it was always about needles."

"It makes me squeamish as well ... if your kid was rummaging through a bin or on the beach and picked up a needle."

"A few years ago I went to Q Bar, there was a needle on the floor in the bathroom. I felt disgusted, I left."

Medical Professionals

Some medical professionals tended to have the same views in regards to a physical stereotype about people who inject drugs. Medical professionals felt that injecting drug users were physically characterised by a:

- thin, pale appearance;
- often a bit dishevelled and untidy in their appearance;
- often had slurred speech; and
- often had unhealthy teeth.

The younger, less experienced medical staff were more vocal in their views that a physical stereotype existed.



"The junkie look with the rotten teeth".

When challenged these medical professionals identified that they did have pre conceived expectations as to what their likely interaction with the person would be based on this appearance. As described by one of the pharmacists:

"I see them at the door and I've already got my drawer open and am looking around to see that other customers are there and what staff might be able to look after them, cause I know its going to take time...you don't want them waiting in the store because you've got to watch what they are up to (perceptions of shoplifting), but you can't just drop everything else".

While making them aware of their preconceived views on injecting drug users was useful, the younger medical professionals all identified that such an awareness needed to be backed up by experience. One of the younger nurses identified how she had recently had her preconceptions challenged:

A relatively well known writer living in wealthier suburb of Sydney was brought into emergency due to an overdose. His medical history identified that he was a long term heroin user. Following his overdose, the person had decided to start on a methadone program at the urging of his wife and children.

The nurse admitted that she had been surprised by this specific case. Firstly, his appearance was not typical of the 'junkie' look that she identified as being typical of an injecting drug user.

"He looked like any other North shore Dad, a bit scruffy, but pretty much just the same"

Secondly, the man had a wife and children that clearly loved him. This was surprising as it challenged the perception that an injecting drug user alienates all family and friends through negative behaviour caused by their addiction. Lastly, he had managed to be successful at a career that required focus, creativity and discipline – that of writing. This challenged the nurses perception that all injecting drug users could focus on is ensuring the extreme needs of their addiction are met.

The nurse admits that the man was treated differently to other people who inject drugs who are brought into the emergency room, most likely due to his fame. The nurse admitted that understanding how differently the man was treated compared to other injectors, who were commonly met with immediate scrutiny and suspicion regardless of exhibiting either positive or negative behaviour, was somewhat confronting when she thought it through.

6.2 Awareness and Attitudes towards Stigma and Discrimination

Stigma

As discussed above, all respondents among the general community and medical professionals were aware of a labelling and stereotyping of people who inject drugs. Very few, if any, of the general community did not describe the stereotype of a person who inject drugs as:

A 'junkie' who looks thin, gaunt, pale with bad teeth and track marks. Likely to be unemployed and possibly homeless, living off their family, or in a run down place with others. There is a strong likelihood that the person is a criminal who will steal (or other illegal/ immoral activities) to get money for drugs. They are not to be trusted and are irresponsible and selfish in their behaviour to others, as they are addicted to their drug and are only concerned with fulfilling their addiction.

Almost all respondents among the general public expressed a reluctance to be around a person they suspect may inject drugs. Primarily, they feared the actions of people who inject drugs toward them. However, there was also a secondary fear of 'guilt by association' meaning that by being around someone who injects drugs, the individual might be subject to the same type of stigma and / or discrimination. The general public also had little empathy overall for people who inject drugs, believing that they choose to start and then to continue to inject drugs, so therefore, should deal with the negative consequences.

Importantly, these attitudes were indicative of most respondents. Use of labelling and stereotyping was done by all respondents, not just those at the extreme end of the scale of attitudes. The general public strongly differentiate people who inject drugs from the rest of society by the use of the labels and stereotype, and make no apologies for doing so. The general public openly judge people who inject drugs, and readily admit to there being a stigma against these people. Use of the label of a 'junkie' and the described stereotypes are instead seen as a means of clearly and deliberately indicating that the person described should be seen as separate or living outside of the mainstream community. This stigma was believed to have an important role in minimising the potential acceptance of and spread of injecting drugs.

Discrimination

When prompted, most respondents readily identified that they would likely be discriminatory in their actions toward injecting drug users should they be aware of interacting with them. That said, most of the general public claimed to have little, if any, direct experience and exposure to people who inject drugs. Most claimed that their only experience with people who inject drugs was on walking past them on the street. Therefore, while they were cognisant that they would likely discriminate against someone in a situation if they found out they injected drugs, they could not actually report

instances of doing so. This situation is very different than may be found in other situations of discrimination whereby people do not readily admit to their discriminatory actions against others and would reject their actions as being discriminatory. For this situation, most people admitted to and endorsed discrimination towards injecting drug users.

The strong association of injecting drug users with the stereotype described above, coupled with the fear that people have of this stereotype, means that discrimination against injecting drug users is readily condoned. The general view is that they made a choice to undertake an action that sets them apart from most of society and therefore must accept the situation that eventuates.

Younger respondents in the medical professionals group tended to believe that a stigma should exist for people who inject drugs (for the same reasons as the general public). However, they did not identify their different treatment of people who inject drugs as discriminatory for the most part. They believed that their action were consistent with a duty of care to minimise risk to the patient themselves and to others.

Older medical professionals felt that their colleagues often put processes in place that were unnecessary in regards to minimising risk. They were also very aware that their colleague used the concept of patient risk as an excuse when their concern was more about the reactions of other patients to be treated in the same vicinity, and / or by the same doctor as a person who injects drugs. These medical professionals did not necessarily agree with discriminatory action undertaken by their colleagues, but could understand them given common perception of the injecting drug users held by the general public

6.3 Instances of Stigma and Discrimination

General Public

The general public groups all readily identified that there is a stigma that exists with injecting drug users. The stereotype described above is readily applied once it is established that a person is an injecting drug user, even if no negative experience had occurred. Similarly, the general public readily admitted that it was likely that injecting drug users were discriminated against regularly. While some had specific experience of discriminating against injecting drug users, others just identified it as something they were likely to do should the situation arise. Importantly, the general public do not identify stigma and discrimination towards injecting drug users as inappropriate. At a general level, people identify the injecting drug user as having made a choice to undertake an act outside of what society as a whole accepts, therefore they should accept the consequences that society imposes. Part of those consequences is seen as being discriminated against.

Those among the general public, with little experience or knowledge of drug use, assumed that injecting drug users faced discrimination across a range of areas. These tended to be very broad and generalised, such as employment and in interacting socially.

In regards to employment, most of the general public felt that it was highly unlikely that employers would be able to trust:

- that the injecting drug users would not steal cash or product to help fund their drug habit;
- that the injecting drug user would be responsible enough to attend work everyday and do their job, as the perception is they would be always looking for the next shot of their drug, or would be suffering from the after effects; and /or
- for similar reasons, even if they did attend work when they should do, their productivity in the workplace would be less than others.

Very few in the general public groups felt they would be comfortable interacting with a person who they were aware injects drugs, and would therefore avoid doing so. Fear of physical harm from the irrational behaviour by the injecting drug user and / or of harm caused by a discarded needle was the driving force behind this assumed discriminatory behaviour. Another factor perceived to legitimise the discriminatory behaviour towards injecting drug users was the possibility of being thought to be an injector also ('guilt by association'), therefore then being subject to the same stigma and discrimination.

Some among the general public groups had closer experience and exposure to people they knew to be injecting drug users, and could provide some specific examples of discrimination. These were often discussed and condoned as a group.

Example 1: A male who worked close to a methadone clinic talked about people crossing the street to avoid them, and café owners excluding them. All in the group discussion felt this was quite acceptable behaviour.

"Where I work there's a methadone clinic just up the road and so there's people walking the street, you can see people walking across to be away from them. The people in the shops the coffee shops too will choose not to serve them, things like that."

"I don't think the café not serving them is bad."

Example 2: A woman in the group kept quiet about a room she had available to rent unless her friend's drug taking daughter moved in. Again, this was seen as understandable and acceptable, with the view that this sort of discriminatory behaviour would actually help the injecting drug user.

"I'm just thinking about the studio out the back and when I was renting that out I had a couple of people come over and one person I didn't tell about it because I thought she'd



suggest her daughter who was terribly involved in the drugs so I thought I just won't mention it. I didn't want to be put in the situation where I wasn't getting my rent where as I was having to worry about who was visiting."

"If you want to help and I don't think giving someone a place to live where they're going to take drugs is going to help them at all."

Another issue of discrimination consistently raised across groups was towards pharmacotherapy treatment, which the general public specifically identified as methadone clinics. There was considerable prejudice and some misunderstanding about methadone clinics and treatments. Older respondents, in particular, did not see use of these treatments as a genuine attempt to overcome drug problems. Similarly, many perceived that injecting drug users used methadone as a cheaper alternative to heroin.

"Methadone they get it for nothing and they get the hit that they wanted from heroin."

The key challenge in overcoming stigma and discrimination towards people who inject drugs is that many among the general public believe that marginalizing people who inject drugs was positive for society as a whole. Having a strong stigma associated with injecting drugs, and acting to discriminate against them was thought to be a powerful means of minimising the chance of people starting to inject drugs in the first place. Essentially, stigma and discrimination toward people who inject drugs is perceived to be a useful prevention strategy among a large portion of the general public. It was seen as a means of containing the problem.

Although it was recognised that this type and level of stigma and discrimination was likely to make situations difficult for people who inject drugs, the general consensus was that this should then act as an incentive for them to overcome their addiction (the 'tough love concept'). In addition, it was felt that 'addicts', as they are perceived by the general public, would not be concerned about what society as a whole thought of them as their only concern would be in finding and using their drug.

"I think that most of them wouldn't give a stuff what the general population thought about them."

Scenarios of Discrimination

The general public groups were prompted with specific situations in which people who inject drugs face discrimination. The scenarios are provided below.

A	Injecting drug users have been refused treatment at dental surgeries or told to come back at the end of the day when they cover everything in plastic
B	People on Methadone programs paying up to \$80 per week are made to wait until 'normal clients' are served, even if this means they are late for work
C	Injecting drug users are often refused appointments at doctors surgeries or told the service

	is full
D	Because there is a limited choice of Doctors who script Methadone, clients are often charged

Overall, respondents were highly critical of the situation where discrimination occurred from GPs and pharmacists. Most believed the situations to be inappropriate discrimination as it was health professionals holding the prejudice. It was generally believed that health professionals should have greater knowledge of people who inject drugs, and would be taking the appropriate precautions to be able to treat them properly, to be able to then provide the medical treatment that people are seeking. Notably, the assumption that specific precautions are required was not seen as demonstrating discriminatory attitudes. The situation where clients are charged an extra \$80 for the prescription of methadone was perceived to be the most inappropriate. This was seen as taking advantage of people in vulnerable situations, which bordered on the unethical when being done by a medical professional.

"I think it's really inappropriate a medical professional is going to stoop to that."

Older respondents were less critical of the medical professional described in the situations than younger respondents, although many did identify the situations described as inappropriate. Parents and older general public respondents tended to take a particularly unsympathetic view of the situation with the injecting drug user being treated at the dentist. Acceptance of the discriminatory position of the dentist was based on a possible risk of infection with dental instruments. Importantly, people also envisage the physical stereotype of an injecting drug user when imagining the scenarios.

"I wouldn't want to be sitting (or your kids) in the same dentist surgery as some guy who is swaying backwards and forwards with stab marks up his arm."

"You're sitting in the dentist surgery and the person going in before you has got scabs and this and that and then you're going in afterwards and they're going to use tools on your mouth."

Even those that rationally knew this view to be highly illogical and/ or were more less judgemental in their attitudes, such as younger respondents, held some trepidation when the scenario was made more personal, such as when being asked to put themselves in a situation where they were next in line at the dentist. The discomfort felt by the younger respondents when asked to place themselves in this situation was clearly based on fear of infection, rather than any moral position regarding the use of drugs. The line is not so clear cut with older respondents where reasons given for the attitudes displayed were a mix of both irrational fear and moral views.

Medical Professionals

All medical professionals within the group discussion identified that injecting drug users are treated differently than others when seeking care. However, there was marked differences based on the experience of medical professionals, as to whether they saw this different treatment as indicative of discrimination.

Emergency nurses

Emergency nurses are trained to assess and identify potential risks for patients when they are brought into the emergency room. Nurses claim that people who inject drugs are without a doubt treated differently due to the associated risks. Nurses tend to encounter people who inject drugs in a crisis situation, where their drug use has resulted in physical harm. In an emergency room environment, nurses often have the responsibility of having to find identification and evidence of what may have caused the physical harm, and are required to look through patient possessions. This can be a confronting experience for nurses:

- care needs to be taken due to 'sharps' hidden within possessions due to the possibility of people who inject drugs having HIV / Hep C;
- occasionally nurses find items such as unused drugs, stolen items such as other people wallets which then place the nurse in a difficult situation;
- unsurprisingly, patients can find nursing staff going through their possessions an invasion of privacy and confront the nursing staff.

Emergency nurses expressed the most frustration among all the medical professionals in regards to dealing with people who inject drugs. Having been brought to hospital emergency, the patient is highly likely to be in crisis of some kind with nurses having a duty of care to ensure that the patient does not inflict more harm upon themselves or others within the ward. Nurses identified that a particular risk associated with people who inject drugs in an emergency ward is the possibility of the patient trying to access 'sharps' and other drugs, given that they are likely to be in a crisis situation. Nurses have to closely monitor the patient due to this, which takes further time. As time is a very valuable resource in an emergency room, nurses can become frustrated. If this is the primary experience with people who inject drugs, this causes some nurses to have quite negative attitudes.

Nurses were divided in their attitudes towards whether suspicions of 'drug seeking' leading to a reluctance to treat 'claimed' pain, was discriminatory or not. The younger nurses identified that suspicion of drug seeking was inherent within their assessment of risk when treating injecting drug users. These nurses were more likely to be suspicious of claims of pain due to injury, or instances where injecting drugs users present to emergency stating they had missed the opening hours or the clinic or pharmacy providing their pharmacotherapy treatments. The older nurse who had specialist

training in the area of drug and alcohol treatment was critical of the assumption made by younger nurses in regards to pain treatment. Based on greater experience and exposure to injecting drug users, this nurse strongly believed that injecting drug users were often not given the treatment they needed for injury due to emergency staff making misguided assumptions about drug seeking.

Pharmacists

Currently, the younger pharmacists' experience with people who inject drugs was mostly limited to providing pharmacotherapy treatments to a small number of clients in the retail pharmacies they worked in. Neither had had negative experiences with these patients, so did not have particularly negative attitudes towards people who inject drugs. At the same time, these pharmacists did admit to having preconceived ideas about the people they provided pharmacotherapy treatments for. These ideas tended to be the of the stereotype described earlier. They also claimed that when working in the pharmacy that specialised in 'sharps', they felt that a lot of their customers tended towards this stereotype. At the same time, they did not claim to have any particular negative experiences with customers at this pharmacy.

The pharmacists working in retail pharmacies had established processes for dispensing pharmacotherapy treatments, such as set times to distribute methadone and other medications. The rationale for this was that they were essentially family businesses, other customers could be a bit frightened / unsettled by people who inject drugs if they demonstrated negative behaviour while waiting in the queue.

Pharmacists all admitted that some pharmacies do make methadone clients wait, however, this was rationalised by the attitude that methadone patients want privacy when receiving treatment. Therefore, it is better for them to wait until other customers have been served and gone. That said, pharmacists also identified that they do have some clients that they prefer to try and serve after other customers have gone due to the time they may end up having to spend with them. Although pharmacists claimed that they have many methadone clients who are 'easy' and never cause a problem, they had been warned by others about methadone clients who argue with pharmacists on regular basis because:

- they believe they are getting a smaller dose than they should be; and
- they feel they are entitled to more 'takeaways'.

General Practitioners

Both GPs in the group discussion were relatively experienced in treating people who inject drugs, and had chosen to work within this area. They identified that they tend to have the other end of the

spectrum in regards to experience with people who inject drugs compared to that of nurses. While emergency room nurses see the patient in a crisis situation, where something has gone wrong with the drug use, GPs tend to see these patients when they are wanting to do something to manage their drug use better. Overall, it is a more positive interaction and experience which both identified as adding to their more positive attitudes towards people who inject drugs than that expressed by the nurses in the group discussion.

The GPs in the group discussion recognised that they were likely to be a minority among their colleagues and peers, as most GPs (often through choice) had relatively little experience in dealing with people who inject drugs. They realised that many GPs actively discourage people who inject drugs being a regular patient. The reasons for this were identified as:

- possible negative reaction from other patients in the waiting room and subsequent loss of business;
- expectation that they will become 'known' as a doctor that injecting drug users can visit with the perception being that some will be not legitimate visits from people drug seeking (it will attract a criminal element to the surgery);
- this was also seen to exacerbate any negative responses from 'other normal' patients;
- negative attitudes from practice staff;
- negative attitudes towards drug users themselves from the GP; and
- lack of experience resulting in a lack of knowledge and uncertainty about what their next steps should be when confronted with treating a person who injects drugs.

The GPs in the group discussion understood that these factors combined to provide a relatively uncomfortable environment for people who inject drugs, meaning that many do not feel they can go to any GP as they are unsure of the reception they will receive.

The GP and pharmacist in the group discussion that worked in a local pharmacotherapy treatment clinic claimed that their clients tended to encounter discrimination 'everywhere'. However, they felt that discrimination was most apparent from others within the medical profession, in workplaces and from retailers. They also provided specific examples of discrimination encountered by their clients in the open plaza retail shopping area across the road from their clinic. Despite having the name 'The Forum' and open spaces designed for people to sit, eat, drink and talk with others, retailers have asked the clinic to tell their clients to not stay within the area after visiting the clinic. They are told not even stop for a coffee. This is because the retailers feel that other customers/ shoppers are put off by the presence of people who *"appear as if they are drug users"*. Retailers rationalised this request by stating that customers fear being the victim of crime or believe that they will be hassled by people begging for cigarettes and / or money. Others were more open about the reasons behind the request, stating that it was a bad image for the retail plaza to have - people who 'look' like they

inject drugs sitting in groups together in the Forum. Sometimes, because they are drinking alcohol, this 'look' is made worse.

The pharmacist from the clinic also provided a good example of how one of the people who inject drugs that she knew was refused treatment for a number of weeks when he had pain in his hip and was having difficulty walking. Emergency rooms and doctors had said he was 'drug seeking', and none had done any tests or X-rays. He had had a fall. It was found later found that the man had a broken hip.

6.4 Reaction to being Stigmatised/ Discriminated

Perceived reaction of people who inject drugs

The general public groups were very ambivalent about how people who inject drugs may feel when discriminated against or stigmatised. While there is a degree of empathy from some younger respondents, this was minimal. Most tended to have a very black and white perspective, in that, negative treatment might prompt them to stop using. Therefore, they believe that negative treatment should be encouraged.

The more knowledgeable medical professionals felt that people who inject drugs are often fairly ashamed of themselves and when discriminated against just take it, feeling that they deserve it. They do not tend to react and will not complain about the discrimination.

"they feel the people don't see them like a human being and will often not blame people for it."

That said, medical professionals also recognised that the alternative reaction, where people can get very defensive and accusatory, also occurs. Overall, however, the more experienced medical professionals identified that people who inject drugs often do not complain about discrimination when they experience it, even if they do feel that they do not deserve it. The main reasons preventing people who inject drugs complaining were identified as:

- others are unlikely trust that they are telling the truth, and are more likely to believe the other party's version of event and / or be suspicious as to what agenda that the person who injects drugs has; and
- fear of not being able to access any services as there are no alternative services to go to should the one they are complaining about refuse to serve them in future.

With few or no alternative services, that are practical in terms of transport and location, people who inject drugs will often just put up with discriminatory practices. Even where an alternative GP, alternative pharmacist, alternative clinic, housing, or employment opportunity, may be able to be found, some tend to adopt a 'better the devil you know' attitude. That is, they assume that they will face the same type of treatment, whether they identify it as discriminatory or not, at other services.



They then choose to not complain and stay with the one they know rather than face an unfamiliar place where treatment could be worse.

Support organisations

The general public had no knowledge of places that people who inject drugs may go to for support should they be discriminated against. Knowledge among medical professionals was relatively limited. Those who worked in the local pharmacotherapy clinic identified that organisations such as NUAA and AIVL offered support if people who inject drugs contacted them about discrimination, as did the clinic. However, they felt that very few people who inject drugs took the risk of complaining about stigma and discrimination to organisations, due to fear that the service would be withdrawn.

Medical professionals did also raise the issue that support organisations can find it difficult to maintain ongoing contact with those that may complain when following up on issues. This is due to factors such as change of address and lost mobile phones.

7 UNDERSTANDING THE CAUSES OF STIGMA AND DISCRIMINATION

7.1 General Public

Fear

One of the primary factors contributing to the general public stigmatising and discriminating against people who inject drugs is fear of their actions. People who inject drugs are feared:

- firstly, because it is believed they are unable to control their actions toward others due to being controlled themselves by their addiction to drugs; and
- secondly, because of their use of needles.

The general public understand addiction to mean that people are not able to control or manage their actions when not 'high' on the substance of their addiction. They perceive that when an addict needs to obtain their drug or is 'coming down' from their drug, they are unable to control their actions toward others (out of control). Not being able to control themselves means that they are unable to be trusted. This makes the public fear the potential consequences of being around 'addicts'. They fear the threat of physical harm through either a deliberate or irresponsible action of the 'addict', emotional harm if the addict is a friend or family member, and the possibility of theft of belongings.

The stereotype of the addict also contributes to this. It is perceived that someone who does not look after their own wellbeing (health and hygiene), then they are unlikely to be concerned about the wellbeing of others.

The general public also fear the possibility of being accidentally infected with a blood borne virus, such as HIV or Hepatitis C, from a discarded needle. This was seen as a real threat by all among the public, even those who did not fear needles in general. While only a few had encountered discarded needles in public places themselves, all were aware of this as a possibility from media reports. The act of discarding a needles in a public place where others could tread on it, or children could pick it up, exacerbates the perception of people who inject drugs being selfish, irresponsible and something to be feared.

A 'Social' necessity

The stigma and discrimination towards people who inject drugs is generally considered acceptable by most of the public. While some of the public felt that overt actions of discrimination were not really necessary, the vast majority believed that stigma and discrimination towards people who inject drugs was an important defence against the acceptance and spread of injecting drug use. Although they may not feel that people such as medical professionals should discriminate in their treatment of people who inject drugs, they did feel that the stigma should continue to exist. In

general, it was believed that any toleration of injecting drug users would reduce the stigma associated with the practice.

Some among the general public felt so strongly about this that they demonstrated anger at the fact that this view could potentially be challenged by communications or in any other way. These respondents usually relied on the argument that the substance being injected is generally an illicit drug. As society had determined that the drug is illegal, then those using it should not expect positive treatment from others.

The injection

There is a certain segment of the population that have difficulty, almost a phobia, of needles in general. They react physically, going pale and shuddering, at the thought of having to receive an injection by a trained medical professional. These people cannot conceive how a person could inject themselves.

Even for the members of the general public that are able to act more rationally in regards to injections, injecting as the method of administration of the drug is seen to indicate addiction with the drug. This is because the general public perceives inserting needles directly into the bloodstream as a practice that should only undertaken in a hygienic environment by specialist medical professionals who are qualified to undertake the act. For someone to undertake this practice themselves, which is also perceived as likely to occur in a non-hygienic environment, is seen to indicate the level of obsession and addiction with the drug. Otherwise, why else would they accept the risk involved? Once the public perceived the person who injects drugs to be obsessed and addicted to a drug, they are stereotyped as a 'junkies' with all the negative behavioural associations.

7.2 Medical Professionals

As identified in Section 6.3, medical professionals claim that their treatment towards people who inject drugs is based on an assessment of risk rather than any stigma. However, when prompted it is apparent that there is a certain level of frustration experienced by some medical professionals when faced with an injecting drug user which influences how they approach treatment.

Time

Younger nurses demonstrated a certain level of resentment towards injecting drug users due to the additional strain on time that results from the processes required to minimise risk with an injecting drug user brought into emergency. Having to carefully go through possessions, monitor the injecting drug user so that they do no hurt themselves or others in their time of crisis, and dealing

with the negative attitude of some become a very time consuming exercise in a busy hospital emergency room.

Time was also an issue for pharmacists. Due to the perception, real or not, that they may need to take some additional time to deal with troublesome or confused people, pharmacists asked for customers on pharmacotherapy treatment to come at quieter time. Pharmacists also see that setting aside a quieter time for these people means that the pharmacists and pharmacy staff are not trying to serve other customers and 'keep an eye' those waiting to receive their treatment. They identify a need to 'keep an eye' on people who inject drugs in the pharmacy to minimise any potential stealing / shoplifting. Similarly any contention that may arise about the drugs being provided can also take additional time.

Medical professionals from all occupations also believed that recognition needs to be given to the fact that there is a higher concentration of mental health difficulties among people who inject drugs, meaning that treatment of these patients can often require additional time to ensure all avenues are explored appropriately.

Lack of knowledge and inexperience

Medical professionals identified that they learn about how to treat people who inject drugs mostly 'on the job'. Relatively cursory education and experience is provided during university when gaining occupational qualifications. Education on the topic tends to be within a broader area of alcohol and drugs unless specific experience is sought in clinic or treatment facility during practical training. While pharmacists may encounter customers on pharmacotherapy treatment if they work in a pharmacy providing these during their training years, most nurses and GPs do not tend to encounter situations involving people who inject drugs during their education.

This means that the vast majority of medical professionals enter their professions with the same perception of people who inject drugs as members of general community. They believe in the same stereotype, and have the same stigma and attitudes regarding discrimination of people who inject drugs as that described for the general community. These attitudes are driven by fear, perceived social necessity for the stigma and discrimination, and attitudes towards self administration of injection as members of the general community. However, at the same time medical professionals then have the additional responsibility of interacting and providing care for people who inject drugs. But they do not have any real additional training to deal with this responsibility.

The GPs in the group discussion claimed that general practitioners fell into three groups in the way they deal with people who inject drugs. These groupings are consistent for medical professionals across the various profession included in the research.

- 1 Those that have a specialist interest and have developed knowledge over time, through additional education and on the job experience, of how to deal with people who inject drugs to maximise the assistance they can provide. These medical professionals generally do not hold stigma towards people who inject drugs.
- 2 Those that are willing to 'see' people who inject drugs but do not really know what to do – both how to interact with them and then where to send them next for appropriate treatment. The pharmacist that operated as a GP liaison for the local clinic identified that she was aware that there were GPs out there that wanted information as to how to help people who inject drugs because they simply did not know; and
- 3 Those that found it difficult to deal with people who inject drugs and / or discouraged them from coming to the practice.

In the research it was identified that this last group tend to justify their decision to not treat people who inject drugs by claiming that treating them would encourage other injectors to attend their surgery. They see that treating people who inject drugs risks becoming known as a GP or pharmacy who is a 'soft touch' for medications, which would encourage more people who inject drugs to come to the surgery. It is assumed that this would be exacerbated by the lack of other surgeries / pharmacies providing services to people who inject drugs (that is, fewer choices). Lack of experience means that these medical professionals tend to view people who inject drugs as likely to be 'drug seeking' and / or have a criminal agenda. They avoid the potential for this by discouraging treatment for anyone who injects drugs.

One of the GPs in the group discussion had recently moved to a large group practice after developing an interest in pharmacotherapy treatment working in his own practice for a number of years. His patients followed him to the new practice, and at times, have had to see other GPs within the practice when he is busy. Many of the doctors that have treated his patients are very surprised that the people they are seeing who inject drugs do not all fit the stereotype of the 'junkie' as they had thought all people who inject drugs as being. They claim to be surprised that some are 'weekend users' only, are in employment and have children that seem to be well cared for. The GP feels that this is indicative of how GPs attitudes developed prior to medical training are perpetuated when they do not gain any experience or exposure to people who inject drugs but are then required to know' how to treat them.

Impact on other clientele

One of the key factors that underpin the stigma and discrimination from GPs and pharmacists is the perceived impact on other patients and the image of the surgery or pharmacy. How people who inject drugs present in the waiting room could impact on other patients either directly, or on their decisions to continue treatment at the surgery or pharmacy. It is believed that other patients may

feel 'threatened', 'uncertain' and 'fearful' if a person who injects drugs demonstrated any out of the ordinary behaviour. The examples given were of people who inject drugs falling asleep on waiting room floors, or becoming aggravated when required to wait for treatment.

Additionally, medical professionals identified that others may see a risk of associated stigma. Patients may not want to be treated by a doctor who has close contact with people who inject drugs, due to the irrational, unfounded belief that there is some risk of disease transmission.

Negative impact on other clientele ultimately is seen as impacting on the medical professional's business.

Focus on 'harm' not on 'health'

It was identified that one of the key issues that medical professionals have in treating people who inject drugs is the apparent inconsistency of the intention or goal of patient with that of the medical professional. Medical professionals generally deal with people that want to get better, wanting to overcome the health problems they are presenting with. Patients are therefore working with the GP, pharmacist or nurse, to achieve this goal.

In contrast, the level of harm that is involved in injecting drugs is seen to demonstrate a lack of concern about their own health – a different goal than that of the medical professional. While GPs and pharmacists understand they are dealing with addiction in many cases, the inconsistency of these goals can be hard to reconcile when treating a person who injects drugs. This leads medical professionals to the question: 'What is their agenda by coming to me for help?', as it is perceived as unlikely to be 'to get better'. The assumed answer is 'drug seeking'.

Lack of knowledge and experience were identified as the main reason behind the assumption that people who inject drugs are invariably drug seeking. The younger medical professionals reported that one of the key things taught to them on the job, is that people who inject drugs generally "*know how to work the system to get more drugs*". This means that when treating people who inject drugs they are consistently questioning whether they should give them more drugs or give them less drugs when treating them. Overall, until they have gained a great deal of experience, or have undertaken specific training in the area, it is generally assumed that people who inject drugs are drug seeking when making complaints about pain.

8 COMMUNICATION ISSUES

8.1 Overall Reactions to the Concepts and the Idea of Communication

The key difficulty in developing any communication or education materials for the general community that addresses the stigma and discrimination towards people who inject drugs is strong perception that the stigma is perceived to exist for a reason. In the current social and legal environment, the general public and many medical professionals feel that stigma and discrimination toward people who inject drugs is an important means of containing the practice and should exist.

The 'concepts' in the research were developed in order to identify whether there is any potential messaging that could be pursued as a means of communication to begin to address this issue of stigma and discrimination. They allow an insight into potential effective areas where greater public education about people who inject drugs may have a positive effect, or conversely, may trigger negative reactions.

Based on reactions to the concept, it was identified that directly challenging this strongly held belief that stigma and discrimination is an important defence for society in stopping the spread of injecting is likely to be ineffectual. Communications that try to portray this attitude as inappropriate or overly conservative are rejected outright on the basis of legality. Similarly, any concepts that attempt to evoke a sympathy for people who inject drugs for no apparent reason, or tended towards a strategy of 'normalising' injecting resulted in angry reactions among some of the general public.

It was apparent that following the first two groups with the general public, that people who inject drugs are currently demonised by the general population and none of the concepts being tested dealt with this adequately. As a result an additional concept was included within the groups with the general public (Concept F). This concept took the tact of trying to 'humanise' the person who injects drugs by portraying the a person with a story who is trying to 'rejoin' society by overcoming their drug issues and are seeking help. However, while they are fighting the addiction they also have to fight the negative perceptions of people which does not help them. In a sense the concept attempts to address the cliché of 'why help someone who isn't trying to help themselves', by saying 'why make things harder for someone who is trying to help themselves'.

Although this may not be ideal from the perspective of the person who injects drugs and feels that they should not be judged or characterised due to this, and that they should be able to pursue this choice without stigma or discrimination provided they do not hurt others, at this current point in time other communication strategies are unlikely to be successful. Any communication will have to work with current perceptions and prejudices. The fact that these may not be true or accurate does not matter. They are strongly held views which will cause any ideas that directly oppose them to be rejected. Improvement to the situation of stigma and discrimination towards injectors needs to begin with making people who inject seem 'human' and deserving of being part of normal society. This is

best achieved among the prevailing attitudes of the general public by starting to tell a story about people who inject drugs in a way that people will accept – ‘that of trying to overcome the addiction’.

In regards to the different demographics, life stages and attitudes included within the sample, younger respondents tended to respond more positively towards the concepts overall than older respondents. Similarly, there was some indication that women (of all ages) were more likely to have some empathy towards people in difficult circumstances. This suggests that communications aimed at the general public should aim at developing understanding among younger people and women.

8.2 Reaction to Specific Concepts

Concept A

WHO IS THE INJECTING DRUG USER?



David
Business man



Ruth
Mother



Jim
Homeless



Sue
Teacher



Gary
Builder

- Sadly Jim is homeless because of some mental health issues
- And David, who runs his own business is an injecting drug user

Leave your prejudices at the door ...

This concept aimed to identify reactions to the potential communication ideas of:

- humanising people who inject drugs through demonstrating that people who inject drugs function the same as other people, they are ‘normal’, in that they hold jobs and care for their children and do not necessarily fit the stereotype; and
- asking people to identify and face up to their own discriminatory attitudes.

There was a clear message take out of ‘don’t judge a book by its cover’ from Concept A. While some respondents felt it was effective to confront people with stereotypes that they have and which they readily admit to, others felt that there was a real risk of ‘normalising’ injecting drug use especially for young people. That is, the idea that David could be an injecting drug user and still run

a successful business was perceived to be an irresponsible message to give to people, and to some extent promotes injecting. It directly contradicted the perceived usefulness of the negative stigma and discrimination as a preventative measure.

Some of the positive and negative responses to this concept are shown in the quotes below:

"Can be anyone, not just homeless people and prostitutes."

"It's very important that people separate the action of injecting from the image of a junky on the street."

"Can make drugs normalized"

"It says that even if you inject drugs you can still be successful. Do we really want people to think like that?"

Part of the positive response to this concept in regards to it challenging stereotypes was in challenging the perception that people have toward homeless people, rather than injecting drug users. The message take out was that not all homeless people are drug users.

In addition, the concept lacked credibility for many respondents. Given the deeply held perception of the stereotype of an injecting drugs user in terms of appearance, behaviour and general characteristics, many respondents found it hard to accept that people who injects drugs can be fully functioning, working and having a 'normal' life.

"I don't get how someone who is addicted to injecting heroin could be a David who's my boss, don't see that happening because they would make mistakes, if you're addicted to heroin you're not thinking correctly and you couldn't do the same work as someone else."

Concept B

WHICH IS THE MOST DANGEROUS

- **Alcohol causes more social issues, more domestic violence, and costs the community more than injecting drug users**

This concept aimed to identify reactions to the potential communication ideas of:

- highlighting that people who inject drugs actually do not cause harm to others, by providing comparative health and social costs with 'other' supposedly more acceptable drugs such as alcohol and 'club' drugs; and
- providing factual information about the harm done to society by injecting drug users compared to users to other social drugs.

There was some highly rationalised acceptance of this concept with people understanding that alcohol is a real problem for some people, and that the social costs are much higher than people probably realise. However, the message was understood as attacking alcohol, by making it seem as bad as, or worse, than injecting drug use rather than a defence for people who inject drugs.

When understood as 'attacking alcohol', the concept received some support especially from occasional drug users. They thoroughly endorsed the idea that alcohol is problematic. Some support for 'attacking alcohol'

"Alcohol is more socially dangerous than injecting"

"Alcohol causes just as many problems as injecting"

Once understood as a concept trying to say that alcohol causes more harm to others than injecting drug use, the argument ends up being rejected based on the simple fact of legality: society accepts that alcohol is legal, therefore currently accepting the social costs and consequences of its use, whereas the drugs that are used by people who inject are not legal.

People who drink alcohol also strongly rejected this by stating that drinking alcohol is a widely accepted social practice that only causes a potential problem among a small proportion of those that use it. It is only a 'potential problem' for 'some' people. In contrast, the drugs of heroin and methamphetamines are seen to be highly addictive and more likely to cause a problem for a greater proportion of people who use them.

"Rubbish skewing the figures"

"No real comparison. Chalk and cheese"

The visual used in this approach also tended to remind people of the issue of discarded needles, which most identify as one of the main risks to society from injecting drug users. The risk to others from a glass of beer seems comparatively much less.

Concept C

BRUSHING IT UNDER THE CARPET DOESN'T MEAN IT DOESN'T EXIST



'AT HOME'



'AT NEEDLE EXCHANGE'

This concept aimed to identify reactions to the potential communication ideas of:

- humanising the user by appealing to a sense of compassion toward people who injects drugs; and
- demonstrating that there can be an acceptance, or a place, for the practice in society.

The message of the communication concept was not clear to all respondents. It was mostly seen to be a message about safe injecting rooms and promoting acceptance of these. This, as a message, was generally accepted by the majority of respondents.

"Users should be injecting in a controlled environment"

The concept succeeds to some extent by humanising the injector. This is done as it is not argumentative or confrontational by trying to say that injecting is an acceptable practice or in normalising it. Instead it tends to appeal by asking for a degree of sympathy rather than a change of perspective. At the same time it offers credibility by using an image they associate with people who inject drugs, that is, the pale, thin stereotype using drugs in an uncontrolled environment. It also seems to make sense rationally, in that safe injecting rooms help minimise the risk of people who inject impacting on the rest of the community by discarding needles in public places.

However, the message does little to change perceptions of people who inject drugs and the associated stigma and discrimination. It tends to reinforce the stereotype by the image and the message of a need to keep the practice somewhere safe so it does not impose on others. That is, by pointing out that it is necessary to provide a place where people can inject drugs, implied that without the safe place, there is risk for others. Essentially, this concept as a whole tended to reinforce negative views

"Its OK, but it goes back to the stereotype of a junkie"

Concept D

THESE PEOPLE SHARE SOMETHING IN COMMON



They all inject drugs ...

This concept aimed to identify reactions to the potential communication ideas of:

- humanising people who inject drugs through demonstrating that people who inject drugs function the same as other people, they are 'normal', in that they hold jobs and do not necessarily fit the stereotype; and
- asking people to identify and face up to their own discriminatory attitudes by asking if they can actually 'tell' who may be injecting drugs out of a range of supposedly 'normal' people.

The message of the concept was quite clear to all respondents – it strongly communicated that there is a need for people to re-examine the stereotype they hold of people who inject drugs. For some younger respondents this was a positive message and demonstrated that all types of people take drugs and anyone can become addicted to drugs to the extent that they inject the drug.

“Will educate people that all classes take drugs”

However, this concept was simply not credible to many respondents. The images were of too many 'clean cut people', 'healthy people' who were so far removed from the accepted stereotype that people rejected the idea as simply unbelievable. Respondents tended to deflect the idea and not engage with the intent of the concept by saying that the drugs people were injecting were probably

prescription medication (the concept did not specify illicit drugs). This demonstrates cognitive dissonance indicting a lack of credibility. In a sense, the concept tried to take them too far on the road to acceptance too quickly and did not work with existing perceptions and prejudices (however inaccurate these may be).

Concept E

YOU WOULDN'T DISCRIMINATE AMONGST THESE PEOPLE



• **So why discriminate against these**



This concept aimed to identify reactions to the potential communication ideas of:

- asking people to identify and face up to their own discriminatory attitudes by comparing discrimination of other groups / people with that towards injectors; and
- in asking if they can actually 'tell' who may be injecting drugs out of a range of supposedly 'normal' people.

This concept tended to provoke some indignation among people. Some reacted negatively because they were a member of a demographic that was highlighted as not being acceptable to discriminate against, for example women and gay men. Gender, sexuality, disability, ethnicity, mental health are not chosen. The indignation of respondents came from the fact that they still did suffer discrimination despite this, and despite the fact the discrimination was illegal. The concept was then likening this directly to the situation of people who inject drugs, which was not seen as

accurate or credible. People who inject drugs had a choice to start and continue the practice, and the practice was also illegal.

This concept also prompted others to reveal other discriminatory attitudes. There was some discussion about the whether it was right to discriminate against someone who had HIV, as many believed that the person had probably made a choice in behaviour that lead to them contracting it. Others held negative attitudes towards all of the images, which were revealed in personal written responses to the concept:

"Why wouldn't I discriminate against all of them"

Essentially the concept fails in credibility. The general public had difficulty in accepting that the choice to undertake the illegal act of injecting illicit drugs can be compared with discrimination against an immutable personal characteristic, which is not illegal.

Concept F



- Jody has been an injecting drug user for a number of years. She's doing all she can to kick her addiction and is now on a methadone program.
- Prejudice against drug users from everyday people makes fighting the addiction harder
- Give those fighting their addiction your support

This concept aimed to identify reactions to the potential communication ideas of:

- humanising people who inject drugs by appealing to a sense of compassion among people and in highlighting that people who inject drugs have issues to deal with that can be impacted by others around them; and
- trading sympathy for a demonstration of 'trying to change'.

This concept was by far the strongest approach included in the research. It offers some strong guidance as to how communications among the general public could be used to minimise the

impact of stigma and discrimination towards people who inject drugs. The overall approach is one of trying to educate the audience as opposed to being argumentative or confrontational.

The story of Jody is one that the audience agrees with – she is trying to give up. The critical point is that its acceptance of people who are trying to stop injecting, not an acceptance of injecting. This means that the general public are willing to engage with the idea as it leverages the existing beliefs of the general public to impart education as opposed to challenging them. In a sense it a softer, more humbler approach that respects the ‘line’ that the community has currently determined is necessary in regards to this topic. It asks the community to ‘help’ the person without a cost to themselves, which most people found difficult to reject. It does not provoke judgement. In contrast, the other concepts demonstrate that challenging existing beliefs at this point only lead to rejection of the message.

“Fairly powerful brings compassion”

“Giving recovering addicts a chance is a fair thing to do”

“It’s saying that we should support people that are trying to help themselves with addiction not isolate them”

The talent used in the concept contributes to the strength of the idea. The woman appears vulnerable rather than scary or threatening. She also challenged the stereotype without going to the opposite end of the spectrum by showing extremely healthy, fit people. She looked ‘normal’, which was accepted as credible in this instance, most likely due to the vulnerability of the image.

“It removes the hopeless junky stereotype”

What makes the concept particularly effective is that it personalises people who inject drugs. The woman looks real and normal, without being especially ‘healthy looking’, and she is appealing to people to help her deal with her issues without asking for charity. The concept was described as *“emotive”, “real”, “believable”* and *“powerful”*.

“It’s real, people can relate to it, it’s calling for people’s emotions rather than saying don’t stereotype, saying help rather than not judge.”

“I think it’s impossible for the public to object to it, there’s no way you wouldn’t want to help someone who’s trying to fix themselves.”

8.3 Methods of Communication

As there is a need to tell a ‘story’ to some extent in order to personalise and evoke the necessary sense of compassion in the communication pieces, there is some indication the print media would be useful in communications. Once engaged with the story, print provides a medium whereby the details of a situation can be relayed using both images and description. Posters in relevant

locations, such as doctors surgeries and pharmacies, could also be used with messages as succinct as those used in the concept. These are easily readable while waiting in these locations and would be useful for the medical professionals who may be uncertain as to the impact on other patients / customers of treating people who inject drugs.

8.4 Medical Professionals

Medical professionals felt that the issue for themselves was one of education rather than communication. Although the education of medical professionals is not seen to directly contribute directly to stigma and discrimination towards people who inject drugs, current education models do not actively challenge the beliefs and attitudes that younger practitioners may hold from their personal perspective. Most will undertake a general subject on treatment of alcohol and drug problems and are then required to 'learn on the job' unless they undertake a specific internship in a clinic, pharmacy, or practice that undertakes pharmacotherapy treatments. The limited number of these services means that this sort of education is limited to a few. The remaining students are then relatively poorly equipped in terms of education outside of their own established prejudices and beliefs when they enter the workforce and are responsible for treating people who inject drugs.

Medical professionals identified that there is need to adopt a similar approach as that discussed for the general community; that of using personal stories to humanise people who inject drugs for medical students. Much like with the general public, it was felt that articles in a relevant professional periodical or magazine which discussed case histories and individual stories may assist in humanising people who inject drugs for both students and those already in the workforce.

The GP and the pharmacist that worked in a nearby clinic related some success with humanising people who inject drugs to students by inviting people who inject drugs into tutorials and lectures to speak about themselves. This was seen to assist in students beginning to challenge their own preconceptions about stereotypes, and to possibly prompt some to further educate themselves on the topic beyond what is completed as a minimum requirement for alcohol and drug treatment.

9 SUMMARY AND CONCLUSIONS

- 1 Based on the stakeholder consultation undertaken for this research, people who inject drugs have very accurate understanding of the general public's attitudes towards them in regards to stigma and discrimination.
- 2 Injecting drugs is perceived as synonymous with addiction. Therefore injectors are seen to be obsessed with their drug to the extent that they have little care for the impact of their actions on others. Based on this, both the general community and the medical profession have a strongly held stereotype of a person who injects drugs.

A 'junkie' who looks thin, gaunt, pale with bad teeth and track marks. Likely to be unemployed and possibly homeless, living off their family, or in a run down place with others. There is a strong likelihood that the person is a criminal who will steal (or commit other illegal/ immoral activities) to get money for drugs. They are not to be trusted and are irresponsible and selfish in their behaviour to others, as they are addicted to their drug and are concerned with fulfilling their addiction.

- 3 The main causes of stigma and discrimination towards people who inject drugs among the general community are:
 - fear because of the belief that people who inject drugs are unable to control their actions toward others due to being controlled themselves by addiction to drugs;
 - fear of harm from discarded needles;
 - reaction to the method of administration being injection in that for someone to undertake this 'risky' practice, they are obviously obsessed and addicted to use of the drug; and
 - a belief that a strong stigma and discrimination towards injecting drugs users has a role in preventing people from engaging in the practice.
- 4 The main causes of stigma and discrimination among medical professionals include:
 - the required care of the injecting drug user tends to be considered relatively time consuming, especially in time poor places such as emergency rooms at hospitals and pharmacies;
 - lack of knowledge and experience with injecting drug users throughout education meaning that medical professionals tend to begin their working life with the same perceptions of injecting drug users as that of the general community, but have the additional responsibility for having to treat them medically;
 - perceived negative impact on other patients and the image of surgery or pharmacy, which ultimately impacts on the business; and

- the apparent inconsistency between the harm inflicted by the injecting drug users on themselves and the goal of medical professionals in providing for health, resulting in medical professionals questioning the reason that the person who inject drugs may be seeking their assistance. The assumed answer by those inexperienced with drug users tends to be drug seeking.
- 5 Development of any communication or education materials for the general community that addresses the stigma and discrimination needs to work with existing attitudes and prejudices. The key one of these to note is that overwhelming belief that the stigma toward people who injects drugs exists for a reason – that of a defence to more people adopting the practice.
- 6 Any communication / education materials that directly challenge this belief will be rejected outright on the basis of the illegality of drugs. Materials that aim to evoke a sympathy for people who inject drugs for no apparent reason, or tend towards a strategy of 'normalising' injecting could prompt negative, even angry reactions, from the general public.
- 7 Among the materials tested, the concept that was most effective provided a story about a person who is trying to overcome their addiction, and needs the general public's understanding, not prejudice, to do so. This type of concept evoked compassion among people, and 'humanised' the injecting drug user, while not challenging their existing beliefs. Effectively, this approach worked with existing beliefs and prejudices (even if they are not accurate) to create a situation where people could begin to understand injecting drug users.
- 8 There was a greater acceptance of the concept tested among younger respondents and females. This suggests that communication / education materials would be more effective if aimed at these groups.
- 9 Consideration should be given to using print media to provide communication and education to these groups. This is particularly effective in telling personalised stories, and can be demographically targeted. It is also easily adapted to poster materials which could be useful in relevant location such as pharmacies and surgeries.
- 10 Greater experience and exposure to people who inject drugs throughout the education of medical professionals is seen as necessary to overcome issues of stigma and discrimination among health professions. An example of how this could be effectively done was in having a person who injects drugs attend a tutorial or lecture to speak about themselves. This was seen as valuable means of 'humanising' people who inject drugs to students, and prompting students to challenge their own preconceptions about stereotypes.
- 11 In addition, medical professional identified that as well as pursuing a communication / education element with the general public, it would be useful to provide materials for GPs,



GfK bluemoon

pharmacists and nurses. They suggested case stories and articles in professional periodicals to assist in giving people who inject drugs a human face and to combat the widespread belief in the 'stereotype'.

APPENDIX A - RECRUITMENT SCREENER

Group	Target group	Demographic	Attitudinal criteria	Location
1	General Public	Parents of 15-28 year olds	Parents must be aware that their children use recreational drugs and relatively comfortable with this	Sydney
2		Regular / occasional drug users (non-injectors) age 18-24	Use illicit drugs once or more times a month (non-injectors)	Sydney
3		18-30 year olds	Respond positively to attitudinal statements that indicate that enjoy use of alcohol and / or illicit drugs themselves	Adelaide
4		Over 30 years of age		Adelaide
5	Medical Professionals	N/A	Inclusion of GPs, pharmacists, nurses in emergency units	Sydney

Group specifications

GROUP 1

Mixed gender split of males and females

All must be parents of at least one child aged between 15 – 28 years of age (cross section of children ages within this age group please)

Then, please ask the following questions (reassure of confidentiality and that group will have similar experiences):

Q1. Do you agree with any of the following statements

- My child / children have never touched drugs or alcohol. **(TERMINATE IF AGREE)**
- I am aware that my child/ children has consumed alcohol in some social situations **(CONTINUE TO NEXT STATEMENT)**
- I am aware / suspect that my child / children has used recreational drugs , eg marijuana / ecstasy or similar in the past. **(CONTINUE IF AGREE)**

Q2. Which of the following statements do you agree with in regards to your child's children's use of alcohol or drugs?

- Its normal for kids, including mine, to have a little bit too much to drink sometimes **(CONTINUE – IS A CONTROL STATEMENT)**
- I would be very concerned if I found out that my child has ever used drugs like marijuana or ecstasy of similar **(TERMINATE)**



- I'm scared my kids will become addicted to drugs if they use them **(TERMINATE UNLESS AGREE WITH THE ANY OF THE FOLLOWING STATEMENTS)**
- I think that most kids will try recreational drugs like marijuana or ecstasy these days so I don't really worry about it– its part of growing up and going out
- I'm relatively OK with my kids to use a small amount of marijuana or ecstasy is OK, as long as they don't overdo it.
- I know that my child uses drugs when they go out occasionally, but it doesn't seem to have affected them any worse than a hangover from alcohol might do, so I'm not too concerned.

RECRUIT IF AGREE WITH ANY OF THE LAST THREE STATEMENTS.

GROUP 2

Mixed Gender

REMIND OF CONFIDENTIALITY AND ASK THE FOLLOWING)

Q1 . Do you use any of the following drugs....?

- Marijuana
- Ecstasy
- Acid / LSD
- GHB
- 'K'
- Speed
- Crystal Meth / Meth
- Base
- Cocaine
- Heroin **(THANK AND CLOSE – WE ARE TALKING TO HEROIN USERS SEPERATELY)**

IF DO NOT USE ANY DRUGS EVER - THANK AND CLOSE

Q2. For each drug used, ask the following.....

On average, how often would you use that drug?

- Daily **(TERMINATE)**
- Weekly **(CONTINUE)**
- Once every couple of weeks **(CONTINUE)**
- Monthly **(CONTINUE)**
- Once every couple of months **(TERMINATE)**
- Very rarely – only a couple of times a year **(TERMINATE)**

Q3. If respond positively to using speed, crystal meth, meth, or base, please ask the following (again remind of confidentiality)...

Have you ever injected drugs?



- If yes, thank and close. Injectors are being spoken to separately
- If no, continue.

GROUPS 3 & 4

Mixed gender in each – try and get a spread of ages but in group 3 please take care of mix really young girls with older guys. Maybe keep them in their late 20s.

We are trying to get people who do use alcohol to excess (have one drink too many) or drugs socially with friends – would be good to ensure a mix of people who have / do use drugs socially as well as those that just use alcohol

Ask the following questions....

Q1. Do you agree with any of the following statements?

- 1 "I don't like drinking alcohol and rarely drink it" (IF YES, TERMINATE UNLESS RESPOND POSTIVELY TO STATEMENT 6)
- 2 "I watch what alcohol I drink and rarely or never have too much" (IF YES, TERMINATE UNLESS RESPOND POSTIVELY TO STATEMENT 6)
- 3 "I like a drink and occasionally may have a little bit too much" (CONTINUE)
- 4 "Its fine to use alcohol or drugs when I'm out having a good time with your friends". (CONTINUE)
- 5 "I sometimes wake up with a hangover after having one to many drinks" (CONTINUE)
- 6 "I do use drugs socially sometimes"

IF IN DOUBT ABOUT ANY RESPONDENTS HERE –GIVE ME CALL.

GROUP 5

Want 6-8 in the group in total.

Due to the mix of respondents we will only be paying \$150 per respondents including GPs – aim for their better nature.

We are looking for medical professionals that have relatively frequent experience or contact with injecting drug users. I will draft a letter which may help recruitment, but it will only be from us as I'm not sure that a letter from the client will be effective or not.

The work is being done for the Australian Injecting and Illicit Drug Users' League (AIVL). AIVL is the national peak organisation representing the State and Territory-based Drug User Organisations and issues of national significance for illicit drug users. We are doing some research for them to better understand if stigma and discrimination against injecting drug users exists in the community and reasons underlying this issue. The research is important to AIVL as stigma and discrimination



is a key barrier for some injectors seeking treatment. They have identified that medical professionals are one of the important groups they need to understand

Aim for a 6.30 start. We only need a maximum of 2-3 GPs so we should be able to get some at that time.

Try and have 2-3 GPs, 2-3 pharmacists and 2-3 nurses / doctors who have worked in emergency areas of hospitals.

DISCUSSION GUIDES

Note – the timing and order of questions have been included as a guide only. Discussions are likely to follow a different order, reflecting the priorities of different audiences.

1 Introduction (5 minutes)

- Introduction of research topic and aims:
 - to understand their views and opinions about injecting drug users.

Explain that the purpose of the group is for people to give their honest opinions and viewpoints. Feel free to be as open and honest as possible.

- Researcher to explain anonymity, recording:
 - audio recording only and only for moderator use etc
- Respondents to introduce self:
 - name
 - profession/ occupation
 - about practice/ pharmacy / hospital

2 Spontaneous issues in relation to drugs(10 minutes)

Note – this section is intended to explore attitudes and existing opinions of drug users.

- Overall experience with drug users in general – not just injectors?
- Describe a typical drug user that they may know?
 - how old?
 - what type of drugs do they use?
 - how often do they use them?
 - in what sort of situations?
 - how do they feel when using drugs?
 - How do they feel when not using drugs?
- Do they see different drugs differently, if so:
 - what specific associations do they have with specific drugs (image profiles of different drugs)
 - what are the short term and long term effects of different drugs (good and bad aspects)

3 Experience with injectors (15minutes)

- Do you think differently about injectors than other drug users? Why?
- What are some issues they face in regards to injectors in particular?



- probe out experiences with injectors in detail
- positive experiences?
- negative experiences?
- How do they react in the 'negative experience' situations?
- Are there alternative to the way they may react?

4. Awareness, knowledge and experience of discrimination and stigma toward injectors(15 minutes)

- What sort of situation so you think that injectors may be discriminated against / stigmatised?
 - probe out different circumstances
- Prompt with:
 - employment
 - access to services
 - medical treatment:
 - in hospitals?
 - in doctors surgeries?
 - in pharmacies?
- Have you ever known stigma and discrimination toward injector to occur in any of these situations?
 - why?
 - is stigma and discrimination justified in these circumstances?
- In your experience, how do injectors react in these sort of situations?
- What do you think the consequences of instance of stigma and discrimination are for injectors?
- Are there any consequences fro the broader community ?

5. Changes in Attitudes to injectors over time (medical professionals only) (10 minutes)

- Have attitudes towards injectors changed over time in your profession?
- How have they changed? Why?
- Have your own attitudes towards injectors changed over time?
- What people or factors have contributed to any change?
- To what extent have all of these issues affected the culture within the 'gay community'?

- How do they feel about this?

6 Perceptions of service providers (10 minutes)

- What support organisations are available for injectors?
- How much contact have you had with these?
- To what extent do you feel it / they adequately deal(s) with the needs of injector?
- Do you feel there is any discrimination within these types of organisation, either overt or under the surface?
- If so, what is the cause?
- Is it possible to change this type of attitude and behaviour?
- What about support if they face stigma and discrimination – where could they go?

7. Reaction to concept materials (20 minutes)

Moderator to explain this research is intended to understand if people opinions and view on injectors can be influenced by new information.

We are going to show you some ideas that have been developed. They are not advertising, they are just ideas to use in this discussion. We don't necessarily expect them to change your existing opinions, but we are interested to see if any make you think differently or provide you with some new information that you may not have thought about previously. Please give each a mark out of 10. 10 being the highest and indicating that does make you think a bit differently – 0 being that it has absolutely no impact on you at all.

Respondents asked to fill in a self complete:

- What is your understanding of the main message of this idea (what is it trying to say to you)?
- What reaction do you have to that message?
- What do you see as being the main strengths and weaknesses of this idea?

Discuss:

- What is the main message?
- How credible do you find that message (to what extent does the content credibly reflect the implications of taking each specific drug?)
- What do you see as being a strength of this idea? What are the weaknesses?



- Probe on:
 - visuals?
 - language?
 - tone?
 - style?

8. Summary (5 minutes)

Moderator to explain the research is being done as it has been shown that injector sometimes do not seek out treatment and support because of stigma and discrimination.

- Is there anything that you have heard or seen tonight that has made you think differently towards injectors than what you did previously?

Thanks and close.

2948 DISCUSSION GUIDE – AIVL

Note – the timing and order of questions have been included as a guide only. Discussions are likely to follow a different order, reflecting the priorities of different audiences.

1 Introduction (5 minutes)

- Introduction of research topic and aims:
 - to understand their views about stigma and discrimination

Note – some questions have been framed in the third person to allow respondents to 'project' responses on to others if they are not comfortable talking about their own situation or experiences.

Explain that the purpose of the group is for people to give their honest opinions and viewpoints. Feel free to be as open and honest as possible.

- Researcher to explain anonymity, recording:
 - audio recording only and only for moderator use etc
- Respondents to introduce self:
 - name
 - who live with – friends/ partner/ family etc...
 - occupation

2 Spontaneous issues in relation to drugs(15 minutes)

Note – this section is intended to explore attitudes and existing opinions of drug users.

Self-complete 1 - focus upon illicit drugs

- Write down first thoughts and feelings associated with drugs in general
- Overall attitudes towards drugs (good and bad)
- Do they know people that use drugs?
- Describe a typical drug user that they may know?
 - how old?
 - what type of drugs do they use?
 - how often do they use them?
 - in what sort of situations?
 - how do they feel when using drugs?
 - How do they feel when not using drugs?
- Do they see different drugs differently, if so:
 - what specific associations do they have with specific drugs (image profiles of different drugs)

- what are the short term and long term effects of different drugs (good and bad aspects)

3 Awareness, knowledge and experience of discrimination and stigma (15 minutes)

Self complete 2 Q1.

What are your first thoughts when you hear the words stigma and discrimination? These could be images, words, thoughts. Please remember there are not right or wrong answers.

Discuss answers, probing fully.

- What sort of situations can people be discriminated against / stigmatised?
- Describe the type of person that you associate stigma / discriminated with?
 - the person who is stigmatised / discriminated against? Why are they stigmatised / discriminated against do you think?
 - the person doing the stigma and discrimination?

Probe fully to begin to identify stereotypes associated groups.

(NOTE – drug users may not come up in the section. This established a baseline for people attitudes to the topic).

- Why do you think stigma and discrimination occurs?
 - what are the attitudes and beliefs people hold that causes this to happen?
 - is stigma and discrimination justified in some circumstances?
- How do imagine that people deal with stigma and discrimination?
 - try and overcome it?
 - confront it? ‘
 - avoid it?
- Are there barriers in addressing stigma and discrimination being addressed?
- What do you think the consequences of stigma and discrimination are?
 - for the people being stigmatised/ discriminated against?
 - for the people doing the stigmatising / discriminating?
- (MODERATOR TO JUDGE WHETHER NECESSARY TO ASK) Now we've been talking about it, can you define what stigma is? What discrimination is?

4 Labelling and Stereotypes (10 minutes)

Self Complete 2, Q2. – Respondents to write down any examples of labelling or stereotypes that they think exist in Australian community. Remind them that they may or may not agree with them, we just want to know what sort of stereotypes may exist.



These could be based on any number of things - race, gender, sexuality, behavioural, age.

Discuss.

- Do you think its common to label / stereotype people?
- Who in the community may label of stereotype others?
- What sorts of stereotypes or labels do you think exist in the community – what have you written down?
- Why do you think that those stereotypes are associated with that group?
- What sort of people in the community may agree with the those stereotypes? What sort of people wouldn't?
- idea of stereotyping / labelling

(NOTE – drug users

5 **Stigma and discrimination against drug users (15 minutes)**

If respondents have not brought up...

- Ask again...who knows people that use drugs?
- Do you think that these people are stigmatised / discriminated against in anyway?
- How?
- Explore fully.
- IF NOT RAISED, what about injectors?
- Do you know anyone who injects drugs/ has injected drugs in the past?
 - do you think differently about injectors than other drug users? Why?
 - than people in general? Why?
- Do you think injectors are discriminated against / stigmatised?
 - how?
 - what are you views on this?
- Who would discriminate / stigmatise injectors?
 - what type of people?
 - what type of circumstances?

EXPLORE IN DETAIL

If not raised, what stereotypes / labels to people have in regard to injectors (likely to have been brought up earlier)

- How do you think injectors react when they are discriminated against/ stigmatised?
- Do you think there are consequences for injectors when they are discriminated against?
- What about for the broader community?

6 Reaction to concept materials (20 minutes)

Moderator to explain this research is intended to understand if people opinions and view on injectors can be influenced by new information.

We are going to show you some ideas that have been developed. They are not advertising, they are just ideas to use in this discussion. We don't necessarily expect them to change your existing opinions, but we are interested to see if any make you think differently or provide you with some new information that you may not have thought about previously. Please give each a mark out of 10. 10 being the highest and indicating that does make you think a bit differently – 0 being that it has absolutely no impact on you at all.

Respondents asked to fill in a self complete:

- What is your understanding of the main message of this idea (what is it trying to say to you)?
- What reaction do you have to that message?
- What do you see as being the main strengths and weaknesses of this idea?

Discuss:

- What is the main message?
- How credible do you find that message (to what extent does the content credibly reflect the implications of taking each specific drug?)
- What do you see as being a strength of this idea? What are the weaknesses?
- Probe on:
 - visuals?
 - language?
 - tone?
 - style?

7 Existing strategies and support and gaps in this area (5 minutes)

- What support is currently available for injectors? Probe:
 - networks
 - professional advice
- What about when they face stigma and discrimination? eg. when refused painkillers in a hospital? Or made to wait for medical treatment? Or refused entry to XXXXXX? (AIVL – CAN YOU PROVIDE A COUPLE OF EVERYDAY EXAMPLES?)
- Where can they go for help to combat this stigma and discrimination?



8 Summary (5 minutes)

Moderator to explain the research is being done as it has been shown that injector sometimes do not seek out treatment and support because of stigma and discrimination.

- Is there anything that you have heard or seen tonight that has made you think differently towards injectors than what you did previously?

Thanks and close.